



PRECISION[®]

PIPES



**ELECTRICAL PIPING
SYSTEMS**

Har Building ki Lifeline
PRECISION PIPELINE

PRICE LIST
18th Jan. 2022

Round Conduit uPVC Pipes & Fittings



Precision Round Conduit uPVC Pipes and Fittings

are manufactured from a specially formulated unplasticised polyvinyl chloride (uPVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact materials which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537-Part 3, BS EN 61386-21 for uPVC conduits, IS 3419:1988 and BS 4607 for uPVC fittings.

Our Premium range of **Transparent Round conduit uPVC pipes and fittings** are also available in Red, Green, Blue & Yellow colours on request.

Applications

Channelising concealed and surface wiring.
Telecommunication and cable ducting.

DIMENSIONS OF ROUND CONDUIT uPVC PIPES IS 9537-PART 3					
Normal Size (mm)	Outside Diameter (mm)	Tolerance On Outside Diameter (mm)	Inside Diameter (Min) (mm)		
			Light	Medium	Heavy
16	16	-0.3	13.7	13.0	12.2
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-
#Special Sizes					
19	19	-0.3	16.5	16.0	15.1
38	38	-0.4	33.7	33.4	32.4

Features

- Various diameters and grades.
- Light, medium and heavy mechanical stress, to suit various applications and site conditions.
- Easy and fast installation.
- Wide range of component maximises application.
- Durable and impact resistant.
- Fire retardant • Corrosion free.
- Thermal resistant from -5° C to +60° C.
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at 60° C.



Laser engraved pipes



Fire retardant, corrosion free



Easy and quick installation

Colours



Black, Grey, Ivory & White



Red, Green, Blue & Yellow

ROUND CONDUIT uPVC PIPES (SOCKETED)

HSN : 39172310

COLOUR : BLACK GREY IVORY WHITE RED GREEN BLUE YELLOW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		North India Pkg.	RATE (Mtr)
		OD (mm)	Pc x Mtr	Mtr / Bdl	Mtr / Bdl	
LMS (LIGHT MECHANICAL STRESS) FRLS≈						
# 1	PRCS 19L	19	100 x 3m	300	-	35.00
# 2	PRCS 19LNI	19	40 x 3m	-	120	35.00
3	PRCS 20L	20	100 x 3m	300	-	36.00
4	PRCS 20LNI	20	40 x 3m	-	120	36.00
5	PRCS 25L	25	100 x 3m	300	-	51.50
6	PRCS 25LNI	25	25 x 3m	-	75	51.50
7	PRCS 32L	32	50 x 3m	150	-	68.50
8	PRCS 32LNI	32	10 x 3m	-	30	68.50
# 9	PRCS 38L	38	30 x 3m	90	-	83.00
10	PRCS 40L	40	25 x 3m	75	-	110.00
11	PRCS 40LNI	40	5 x 3m	-	15	110.00
12	PRCS 50L	50	20 x 3m	60	-	158.00
13	PRCS 50LNI	50	5 x 3m	-	15	158.00
14	PRCS 63L	63	18 x 3m	54	-	243.50
MMS (MEDIUM MECHANICAL STRESS) FRLS≈						
# 15	PRCS 19M	19	100 x 3m	300	-	40.00
# 16	PRCS 19MNI	19	40 x 3m	-	120	40.00
17	PRCS 20M	20	100 x 3m	300	-	43.50
18	PRCS 20MNI	20	40 x 3m	-	120	43.50
19	PRCS 25M	25	100 x 3m	300	-	59.00
20	PRCS 25MNI	25	25 x 3m	-	75	59.00
21	PRCS 32M	32	50 x 3m	150	-	85.50
22	PRCS 32MNI	32	10 x 3m	-	30	85.50
# 23	PRCS 38M	38	30 x 3m	90	-	120.50
24	PRCS 40M	40	25 x 3m	75	-	121.00
25	PRCS 40MNI	40	5 x 3m	-	15	121.00
26	PRCS 50M	50	20 x 3m	60	-	185.00
27	PRCS 50MNI	50	5 x 3m	-	15	185.00
HMS (HEAVY MECHANICAL STRESS) FRLS≈						
# 28	PRCS 19H	19	100 x 3m	300	-	51.00
# 29	PRCS 19HNI	19	40 x 3m	-	120	51.00
30	PRCS 20H	20	100 x 3m	300	-	58.50
31	PRCS 20HNI	20	40 x 3m	-	120	58.50
32	PRCS 25H	25	50 x 3m	150	-	71.50
33	PRCS 25HNI	25	25 x 3m	-	75	71.50
34	PRCS 32H	32	50 x 3m	150	-	110.50
35	PRCS 32HNI	32	10 x 3m	-	30	110.50
# 36	PRCS 38H	38	30 x 3m	90	-	135.00
37	PRCS 40H	40	25 x 3m	75	-	146.50
38	PRCS 40HNI	40	5 x 3m	-	15	146.50
39	PRCS 50H	50	20 x 3m	60	-	220.50
40	PRCS 50HNI	50	5 x 3m	-	15	220.50

Special Size

≈ FRLS : Fire Retardant - Low Smoke

* LHSFT : Low Halogen - Smoke Suppressing - Fire Retardant - Temperature Stable Lead Free

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		North India Pkg.	RATE (Mtr)
		OD (mm)	Pc x Mtr	Mtr / Bdl	Mtr / Bdl	
MMS (*L.H.S.F.T. CONDUIT)						
41	PSFT 20MS	20	100 x 3m	300	-	47.00
42	PSFT 20MSNI	20	40 x 3m	-	120	47.00
43	PSFT 25MS	25	100 x 3m	300	-	63.50
44	PSFT 25MSNI	25	25 x 3m	-	75	63.50
45	PSFT 32MS	32	50 x 3m	150	-	92.00
46	PSFT 32MSNI	32	10 x 3m	-	30	92.00
47	PSFT 40MS	40	25 x 3m	75	-	130.00
48	PSFT 40MSNI	40	5 x 3m	-	15	130.00
49	PSFT 50MS	50	20 x 3m	60	-	199.00
50	PSFT 50MSNI	50	5 x 3m	-	15	199.00
HMS (*L.H.S.F.T. CONDUIT)						
51	PSFT 20HS	20	100 x 3m	300	-	63.00
52	PSFT 20HSNI	20	40 x 3m	-	120	63.00
53	PSFT 25HS	25	50 x 3m	150	-	77.00
54	PSFT 25HSNI	25	25 x 3m	-	75	77.00
55	PSFT 32HS	32	50 x 3m	150	-	119.00
56	PSFT 32HSNI	32	10 x 3m	-	30	119.00
57	PSFT 40HS	40	25 x 3m	75	-	157.50
58	PSFT 40HSNI	40	5 x 3m	-	15	157.50
59	PSFT 50HS	50	20 x 3m	60	-	237.00
60	PSFT 50HSNI	50	5 x 3m	-	15	237.00



ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 73201019

BENDING SPRING

SR NO	PRODUCT CODE	SIZE	COLOUR	STANDARD PACK		RATE (Pc)
		OD (mm)		Pc/Bag	Pc/Cart	
LIGHT GAUGE						
61	PBS20L	20	Green	10	50	286.00
62	PBS25L	25	Green	5	25	377.00
MEDIUM GAUGE						
63	PBS20M	20	Silver	10	50	286.00
64	PBS25M	25	Silver	5	25	377.00
HEAVY GAUGE						
65	PBS20H	20	Gold	10	50	286.00
66	PBS25H	25	Gold	5	25	377.00



ø Suitable for 19mm LMS and 19mm MMS conduits also.

ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



COLOUR : BLACK GREY IVORY WHITE

CIRCULAR BOX WITHOUT LID

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
CIRCULAR BOX - TERMINAL (1WAY)					
67	PRCB 191	19	20	600	27.00
68	PRCB 201	20	20	600	27.50
69	PRCB 251	25	15	450	35.00
70	PRCB 321	32	10	160	65.00
71	PRCB 401	40	10	160	78.00
72	PRCB 501	50	5	80	139.00
CIRCULAR BOX - ANGLE (2WAY)					
73	PRCB 192A	19	20	400	28.00
74	PRCB 202A	20	20	400	28.50
75	PRCB 252A	25	15	300	36.00
76	PRCB 322A	32	10	160	68.50
77	PRCB 402A	40	10	160	84.50
78	PRCB 502A	50	5	80	153.00
CIRCULAR BOX - THROUGH (2 WAY)					
79	PRCB 192S	19	20	400	28.00
80	PRCB 202S	20	20	400	28.50
81	PRCB 252S	25	15	300	36.00
82	PRCB 322S	32	10	160	68.50
83	PRCB 402S	40	10	160	84.50
84	PRCB 502S	50	5	80	153.00
CIRCULAR BOX - TEE (3 WAY)					
85	PRCB 193	19	20	400	31.50
86	PRCB 203	20	20	400	32.50
87	PRCB 253	25	15	300	42.00
88	PRCB 323	32	10	160	70.50
89	PRCB 403	40	10	160	88.50
90	PRCB 503	50	5	80	165.00
CIRCULAR BOX - INTERSECTION (4 WAY)					
91	PRCB 194	19	20	400	34.00
92	PRCB 204	20	20	400	34.00
93	PRCB 254	25	15	240	47.50
94	PRCB 324	32	10	160	74.00
95	PRCB 404	40	10	160	101.00
96	PRCB 504	50	5	80	179.00

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
DEEP CIRCULAR BOX - TERMINAL (1 WAY)					
97	PRCB 191D	19	10	280	46.00
98	PRCB 201D	20	10	280	46.50
99	PRCB 251D	25	10	280	56.00
100	PRCB 321D	32	10	280	65.50
DEEP CIRCULAR BOX - ANGLE (2 WAY)					
101	PRCB 192AD	19	10	280	47.50
102	PRCB 202AD	20	10	280	48.00
103	PRCB 252AD	25	10	280	58.50
104	PRCB 322AD	32	10	280	70.50
DEEP CIRCULAR BOX - THROUGH (2 WAY)					
105	PRCB 192SD	19	10	200	47.50
106	PRCB 202SD	20	10	200	48.00
107	PRCB 252SD	25	10	200	58.50
108	PRCB 322SD	32	10	200	70.50
DEEP CIRCULAR BOX - TEE (3 WAY)					
109	PRCB 193D	19	10	220	55.50
110	PRCB 203D	20	10	220	54.00
111	PRCB 253D	25	10	220	68.50
112	PRCB 323D	32	10	160	76.00
DEEP CIRCULAR BOX - INTERSECTION (4 WAY)					
113	PRCB 194D	19	10	220	55.00
114	PRCB 204D	20	10	220	56.00
115	PRCB 254D	25	10	220	71.50
116	PRCB 324D	32	10	160	77.50
CIRCULAR BOX BRANCH - 2WAY (U)					
117	PRCB 19U	19	20	400	47.50
118	PRCB 20U	20	20	400	48.00
119	PRCB 25U	25	20	400	65.00
CIRCULAR BOX BRANCH - 3WAY (Y)					
120	PRCB 19Y	19	20	400	51.00
121	PRCB 20Y	20	20	400	54.00
122	PRCB 25Y	25	15	300	70.50

COLOUR : **BLACK** **GREY** **IVORY** **WHITE**

CIRCULAR BOX WITHOUT LID

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
CIRCULAR BOX BRANCH - 4WAY (H)					
123	PRCB 19H	19	15	300	55.00
124	PRCB 20H	20	15	300	56.00
125	PRCB 25H	25	15	300	76.00
CIRCULAR BOX BACK OUTLET (1 WAY)					
126	PRCB 201 BO	20	20	400	47.50
127	PRCB 251 BO	25	15	300	66.50
CIRCULAR BOX BACK OUTLET THROUGH (2 WAY)					
128	PRCB 202S BO	20	20	400	48.00
129	PRCB 252S BO	25	15	300	70.50
CIRCULAR BOX BACK OUTLET ANGLE (2 WAY)					
130	PRCB 202A BO	20	20	400	48.00
131	PRCB 252A BO	25	15	300	70.50
CIRCULAR BOX BACK OUTLET TEE (3 WAY)					
132	PRCB 203 BO	20	20	400	54.00
133	PRCB 253 BO	25	15	300	76.00
CIRCULAR LID (WITH SCREW)					
134	PRCL65*	65	100	2000	9.50
135	PRCL80#	80	100	2000	19.50
136	PRCL85	85	100	2000	20.00
137	PRCL90	90	100	1800	22.00
138	PRCL93	93	25	750	22.00
139	PRCL110	110	50	900	34.50
CIRCULAR LID (WITHOUT SCREW)					
140	PRCL65WS*	65	100	2000	7.50
141	PRCL80WS#	80	100	2000	19.00
142	PRCL85WS	85	100	2000	19.50
143	PRCL90WS	90	100	1800	21.50
144	PRCL93WS	93	25	750	21.50
145	PRCL110WS	110	50	900	34.00

>65 - For 19/20/25mm JB, DJB & 32 DJB α80 - For 32/40mm JB
~93 - For 50 mm JB

CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
CIRCULAR BOX - ANGLE - 2 WAY					
154	PRCB 192AL	19	20	400	38.00
155	PRCB 202AL	20	20	400	40.00
156	PRCB 252AL	25	15	300	46.50
157	PRCB 322AL	32	10	160	88.50
158	PRCB 402AL	40	10	160	104.00
159	PRCB 502AL	50	5	80	176.00
CIRCULAR BOX - ANGLE - 2 WAY (AUTO LID W/O SCREW)					
160	PRCB 202AAL	20	15	270	38.00
161	PRCB 252AAL	25	10	180	45.00
Auto Lid w/o insert & screw					
CIRCULAR BOX - THROUGH - 2 WAY					
162	PRCB 192SL	19	20	400	38.00
163	PRCB 202SL	20	20	400	40.00
164	PRCB 252SL	25	15	300	46.50
165	PRCB 322SL	32	10	160	88.50
166	PRCB 402SL	40	10	160	104.00
167	PRCB 502SL	50	5	80	176.00
CIRCULAR BOX - THROUGH - 2 WAY (AUTO LID W/O SCREW)					
168	PRCB 202SAL	20	15	270	38.00
169	PRCB 252SAL	25	10	180	45.00
Auto Lid w/o insert & screw					
CIRCULAR BOX - TEE - 3 WAY					
170	PRCB 193L	19	20	400	42.00
171	PRCB 203L	20	20	400	42.50
172	PRCB 253L	25	15	300	51.00
173	PRCB 323L	32	5	110	90.50
174	PRCB 403L	40	5	110	107.00
175	PRCB 503L	50	5	80	191.00
CIRCULAR BOX - TEE - 3 WAY (AUTO LID W/O SCREW)					
176	PRCB 203AL	20	15	270	40.50
177	PRCB 253AL	25	10	180	48.50
Auto Lid w/o insert & screw					
CIRCULAR BOX - INTERSECTION (4 WAY)					
178	PRCB 194L	19	20	320	45.00
179	PRCB 204L	20	20	320	45.50
180	PRCB 254L	25	15	240	58.00
181	PRCB 324L	32	5	110	93.50
182	PRCB 404L	40	5	110	120.00
183	PRCB 504L	50	5	80	205.00
CIRCULAR BOX - INTERSECTION - 4 WAY (AUTO LID W/O SCREW)					
184	PRCB 204AL	20	12	216	44.00
185	PRCB 254AL	25	15	150	56.00
Auto Lid w/o insert & screw					

CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
CIRCULAR BOX - TERMINAL - 1WAY					
146	PRCB 191L	19	20	600	34.50
147	PRCB 201L	20	20	600	35.00
148	PRCB 251L	25	15	450	46.00
149	PRCB 321L	32	10	160	83.50
150	PRCB 401L	40	10	160	99.00
151	PRCB 501L	50	5	80	163.00

CIRCULAR BOX - TERMINAL - 1 WAY (AUTO LID W/O SCREW)					
152	PRCB 201AL	20	20	360	34.00
153	PRCB 251AL	25	15	270	44.50

Auto Lid w/o insert & screw













ROUND CONDUIT uPVC PIPE FITTINGS









HSN : 39174000



COLOUR : BLACK GREY IVORY WHITE

CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)	
		OD (mm)	Pc/Box	Pc/Carton		
DEEP CIRCULAR BOX - TERMINAL (1 WAY)						
186	PRCB 191DL	19	10	280	55.00	
187	PRCB 201DL	20	10	280	56.00	
188	PRCB 251DL	25	10	280	66.00	
189	PRCB 321DL	32	10	280	75.00	
DEEP CIRCULAR BOX - ANGLE (2 WAY)						
190	PRCB 192ADL	19	10	280	58.50	
191	PRCB 202ADL	20	10	280	59.00	
192	PRCB 252ADL	25	10	280	68.00	
193	PRCB 322ADL	32	10	280	80.50	
DEEP CIRCULAR BOX - THROUGH (2 WAY)						
194	PRCB 192SDL	19	10	200	58.50	
195	PRCB 202SDL	20	10	200	59.00	
196	PRCB 252SDL	25	10	200	68.00	
197	PRCB 322SDL	32	10	200	80.50	
DEEP CIRCULAR BOX - TEE (3 WAY)						
198	PRCB 193DL	19	10	220	61.00	
199	PRCB 203DL	20	10	220	62.50	
200	PRCB 253DL	25	10	220	79.00	
201	PRCB 323DL	32	10	160	85.50	
DEEP CIRCULAR BOX - INTERSECTION (4 WAY)						
202	PRCB 194DL	19	10	220	65.00	
203	PRCB 204DL	20	10	220	65.50	
204	PRCB 254DL	25	10	220	82.50	
205	PRCB 324DL	32	10	160	86.00	
CIRCULAR BOX BRANCH - 2 WAY (U)						
206	PRCB 19UL	19	20	400	58.50	
207	PRCB 20UL	20	20	400	59.00	
208	PRCB 25UL	25	20	400	74.00	
CIRCULAR BOX BRANCH - 3 WAY (Y)						
209	PRCB 19YL	19	15	300	61.00	
210	PRCB 20YL	20	15	300	62.50	
211	PRCB 25YL	25	15	300	79.50	
CIRCULAR BOX BRANCH - 4 WAY (H)						
212	PRCB 19HL	19	15	300	65.00	
213	PRCB 20HL	20	15	300	65.50	
214	PRCB 25HL	25	15	300	85.50	
CIRCULAR BOX BACK OUTLET (1 WAY)						
215	PRCB 201 BOL	20	20	400	58.50	
216	PRCB 251 BOL	25	15	300	77.50	
CIRCULAR BOX BACK OUTLET THROUGH (2 WAY)						
217	PRCB 202S BOL	20	15	300	59.00	
218	PRCB 252S BOL	25	15	240	79.50	
CIRCULAR BOX BACK OUTLET ANGLE (2 WAY)						
219	PRCB 202A BOL	20	15	300	59.00	
220	PRCB 252A BOL	25	15	240	79.50	
CIRCULAR BOX BACK OUTLET TEE (3 WAY)						
221	PRCB 203 BOL	20	15	300	62.50	
222	PRCB 253 BOL	25	15	240	85.50	

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)	
		OD (mm)	Pc/Box	Pc/Carton		
CIRCULAR EXTENSION RING						
223	PRER 20	20	50	800	19.50	
224	PRER 25	25	40	640	25.50	
LOOP IN BOX						
225	PRLB 19	19 (4 punch)	20	400	28.00	
226	PRLB 20	20 (4 punch)	20	400	28.50	
227	PRLB 25	25 (2 punch)	20	400	28.50	
LOOP IN BOX EXTENSION						
228	PRLB 20E	20	24	384	42.00	
COUPLER						
229	PCR 19	19	100	2000	7.50	
230	PCR 20	20	100	2000	9.50	
231	PCR 20 L	20 Long	150	2400	9.50	
232	PCR 25	25	100	2000	11.50	
233	PCR 32	32	60	960	20.50	
234	PCR 38	38	30	480	31.00	
235	PCR 40	40	30	480	34.00	
236	PCR 50	50	20	320	58.00	
EXPANSION COUPLER						
237	PCR 20E	20	20	600	11.50	
238	PCR 25E	25	12	360	20.00	
239	PCR 32E	32	8	240	36.00	
240	PCR 38E	38	10	200	46.50	
241	PCR 50E	50	10	160	65.00	
REDUCER COUPLER (PIPE TO FITTING)						
242	PRR 1	25>20	250	4000	11.50	
REDUCER COUPLER (PIPE TO PIPE)						
243	PRR 2520	25 > 20	75	1500	12.00	
244	PRR 3220	32 > 20	60	1200	15.50	
245	PRR 3225	32 > 25	40	800	20.50	
246	PRR 4020	40 > 20	48	960	25.50	
247	PRR 4032	40 > 32	32	640	28.00	
248	PRR 5032	50 > 32	30	480	34.00	
249	PRR 5040	50 > 40	30	480	35.00	
SLIP TYPE BEND						
250	PRBN 19	19	65	1040	13.00	
251	PRBN 20	20	65	1040	13.00	
252	PRBN 25	25	35	560	22.50	
253	PRBN 32	32	20	320	59.00	
254	PRBN 38	38	10	160	72.00	
255	PRBN 40	40	10	160	118.00	
256	PRBN 50	50	5	80	164.00	
257	PRBN 63	63	-	50	237.00	

ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



COLOUR : BLACK GREY IVORY WHITE

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
SLIP TYPE LONG BEND					
258	PRBL 19	19	45	720	20.00
259	PRBL 20	20	45	720	20.00
260	PRBL 25	25	20	320	34.00
261	PRBL 32	32	10	160	81.50
262	PRBL 38	38	-	100	101.00
263	PRBL 40	40	-	80	161.00
264	PRBL 50	50	-	55	241.00
SPACE BAR SADDLE					
265	PRBS 19	19	100	2000	12.00
266	PRBS 20	20	100	2000	13.00
267	PRBS 25	25	100	2000	15.00
268	PRBS 32	32	100	1600	25.50
269	PRBS 38	38	80	1280	28.00
270	PRBS 40	40	80	1280	28.50
271	PRBS 50	50	60	960	34.00
272	PRBS 63	63	-	50	45.50
SADDLE STRAP					
273	PRSS 19	19	100	2000	7.00
274	PRSS 20	20	100	2000	7.50
275	PRSS 25	25	100	2000	9.50
276	PRSS 32	32	100	1600	12.00
277	PRSS 38	38	80	1280	14.50
278	PRSS 40	40	80	1280	15.00
279	PRSS 50	50	60	960	20.00
ROUND 'U' CLIP					
280	PRUC 20	20	200	4000	11.50
281	PRUC 25	25	100	3000	18.50
END CAP					
282	PREC 20	20	150	3000	5.50
283	PREC 25	25	100	2000	7.50
284	PREC 32	32	70	1400	9.50
285	PREC 40	40	32	640	18.00
286	PREC 50	50	24	480	25.50
MALE BUSH ADAPTOR					
287	PMBA 19	19	100	2000	12.00
288	PMBA 20	20	100	2000	13.00
289	PMBA 25	25	100	2000	14.50
FEMALE BUSH ADAPTOR					
290	PFBA 19	19	100	2000	12.00
291	PFBA 20	20	100	2000	13.00
292	PFBA 25	25	100	2000	15.50
293	PFBA 32	32	75	1200	38.00
294	PFBA 38	38	50	800	50.00
295	PFBA 40	40	50	800	50.00
296	PFBA 50	50	25	400	85.50

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)	
		OD (mm)	Pc/Box	Pc/Carton		
ROUND ELBOW						
297	PRE 20	20	125	2500	12.00	
298	PRE 25	25	75	1200	15.50	
299	PRE 32	32	20	400	22.00	
300	PRE 40	40	15	300	34.00	
301	PRE 50	50	10	200	55.00	
ROUND TEE						
302	PRT 20	20	50	1500	26.00	
303	PRT 25	25	50	800	28.50	
304	PRT 32	32	15	300	32.50	
305	PRT 40	40	10	200	49.00	
306	PRT 50	50	10	160	77.00	
INSPECTION ELBOW						
307	PIE 20	20	20	600	47.50	
308	PIE 25	25	20	400	59.00	
INSPECTION TEE						
309	PIT 20	20	20	600	48.00	
310	PIT 25	25	20	400	70.50	
INSPECTION BEND						
311	PIB 20	20	20	600	48.00	
312	PIB 25	25	20	400	70.50	
ADAPTABLE BOX WITH LID						
Δ	313	PAB 75L	3" x 3" x 2" 75x75x50	10	200	104.00
◇	314	PAB 110L	4" x 4" x 3" 110x110x75	-	100	205.00
	315	PAB 160L	6" x 4" x 3" 160x110x75	-	75	408.00
	316	PAB 160SL	6" x 6" x 3" 160x160x75	-	50	450.00
	317	PAB 225SL	9" x 9" x 3" 225x225x75	-	20	969.00
	318	PAB 300SL	12" x 12" x 4" 300x300x110	-	5	2040.00
SURFACE SWITCH BOX						
✱	319	PSB1	3" x 3"	10	300	65.00
✱	320	PSB2	6" x 3"	10	200	111.00
SWITCH BOX LID (WHITE)						
	321	PSBL1 LID	3" x 3"	40	1200	28.50
	322	PSBL2 LID	6" x 3"	25	750	38.00
FLUSH MOUNTED - SWITCH BOX						
⊠	323	PFSB1	3" x 3" x 2.5"	10	200	74.00
⊠	324	PFSB2	6" x 3" x 2.5"	10	160	99.00

Δ 32/38/40mm Knockout Available ✱ 20mm Knockout Available
◇ 50mm Knockout Available ≠ 20/25mm Knockout Available

ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



COLOUR : **BLACK** **GREY** **IVORY** **WHITE**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
FAN BOX (BLACK)					
325	PRFB20	20 Standard	10	220	78.00
326	PRFB25	25 Standard	10	220	78.00
327	PRFB20SL	20 Large	10	140	104.00
328	PRFB25SL	25 Large	10	140	104.00
329	PRFBRD2025	20/25 With Rod	1	28	311.00
330	PRFBRD25	25 With Rod	1	28	311.00



SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Bag		
METAL FAN BOX - WITH ROD (BROWN)					
HSN : 73072900					
331	PMFB 2025	20/25	50		227.50



SR NO	PRODUCT CODE	SIZE (ml)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
uPVC SOLVENT CEMENT					
HSN : 35061000					
332	PSC100 ML	100ml	Transparent	24 144	69.00
333	PSC250 ML	250ml	Transparent	24 96	124.00
334	PSC500 ML	500ml	Transparent	12 48	210.00
335	PSC1L	1L	Transparent	6 24	361.00
336	PSC5L	5L	Transparent	- 6	1453.00



SR NO	PRODUCT CODE	SIZE - W (mm)xL(Mtr)	STANDARD PACK		RATE (pc)
			Pc/Box	Pc/Carton	
PVC ELECTRICAL INSULATION TAPE					
HSN : 85469090					
COLOUR : BLACK WHITE RED GREEN BLUE YELLOW					
337	PPIT 18	18x6	30	540	13.50



OVAL CONDUIT uPVC PIPES

HSN : 39172310

COLOUR : **WHITE**



SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Pc x Mtr	Mtr/Bdl	
OVAL CONDUIT uPVC PIPES					
338	POC 16	16	200 x 2m	400	18.00
339	POC 20	20	200 x 2m	400	26.00
340	POC 25	25	100 x 2m	200	35.50



OVAL CONDUIT uPVC PIPE FITTINGS

HSN : 39174000

COLOUR : **WHITE**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Box		
OVAL CONNECTOR					
341	POCT 16	16	100		2.00
342	POCT 20	20	50		5.00
343	POCT 25	25	50		7.50
OVAL ELBOW					
344	POE 16	16	100		5.00
345	POE 20	20	75		7.50
346	POE 25	25	50		11.00
OVAL TEE					
347	POT 16	16	100		7.50
348	POT 20	20	50		9.50
349	POT 25	25	40		11.00
OVAL INTERNAL BEND					
350	POIB 16	16	100		7.50
351	POIB 20	20	50		7.50
352	POIB 25	25	25		9.50
OVAL EXTERNAL BEND					
353	POEB 16	16	100		7.50
354	POEB 20	20	50		9.50
355	POEB 25	25	25		9.50
OVAL SADDLE STRAP					
356	POSS 16	16	100		5.00
357	POSS 20	20	100		5.00
358	POSS 25	25	100		9.50
OVAL SADDLE STRAP BASE					
359	POB	Standard	100		9.50
OVAL 'U' CLIP					
360	POU 16	16	200		5.00
361	POU 20	20	150		7.50
362	POU 25	25	150		9.50
OVAL TO ROUND ADAPTOR					
363	PORA 16	16	100		5.00
364	PORA 20	20	50		9.50
365	PORA 25	25	25		11.00



G.I. & M.S. Conduit Pipes & Fittings



Precision G.I & M.S. Conduit Pipes are manufactured from a rigorously tested raw material, in accordance to IS 9537 Part – 2.

G.I Conduit Pipes are coated by hot dipped galvanising plant in which iron or steel is coated with layer of zinc. This coating renders a safety finish to the conduit, which is durable in industrial installations, coastal line atmosphere & thermal power stations.

M.S. Conduit Pipes are treated and coated with paint.

Application :

Channelising Electrical surface wiring and cable ducting.

Features :

- Anti – rust coating and good finish
- Easy to cut
- High resistance to corrosion

G. I. - Silver



M. S. - Black



Dimensions of G.I. & M.S. Conduit Pipes

NORMAL SIZE	OUTSIDE DIAMETER	TOLERANCE OD	WALL THICKNESS	WALL THICKNESS TOLERANCE
MM	MM	MM	MM	MM
20	20	0+, -0.3	1.60	±0.2
25	25	0+, -0.4	1.60	±0.2
32	32	0+, -0.4	1.60	±0.2
40	40	0+, -0.4	2.00	+0.2, -0.4
50	50	0+, -0.5	2.00	+0.2, -0.4

G.I. & M.S. CONDUIT PIPES

HSN : 73069090



COLOUR : **BLACK** **SILVER**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Pc x Mtr	Mtr/Bdl	
G.I. CONDUIT PIPES - COLOUR : SILVER					
366	PGIC 20	20	26 x 3m	78	231.00
367	PGIC 25	25	21 x 3m	63	280.00
368	PGIC 32	32	16 x 3m	48	420.00
369	PGIC 40	40	10 x 3m	30	665.00
370	PGIC 50	50	5 x 3m	15	755.00



SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Pc x Mtr	Mtr/Bdl	
M.S. CONDUIT PIPES - COLOUR : BLACK					
371	PMSC 20	20	26 x 3m	78	145.00
372	PMSC 25	25	21 x 3m	63	185.00
373	PMSC 32	32	16 x 3m	48	260.00
374	PMSC 40	40	10 x 3m	30	435.00
375	PMSC 50	50	5 x 3m	15	570.00



G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099

COLOUR : **BLACK** **SILVER**

CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
G.I. CIRCULAR BOX - TERMINAL - 1 WAY (SCREW TYPE)					
376	PGIB 251	25	20	200	76.00
M.S. CIRCULAR BOX - TERMINAL - 1 WAY (SCREW TYPE)					
377	PMSB 201	20	20	200	50.50
378	PMSB 251	25	20	200	56.00
G.I. CIRCULAR BOX - THROUGH - 2 WAY (SCREW TYPE)					
379	PGIB 252S	25	20	200	79.00
M.S. CIRCULAR BOX - THROUGH - 2 WAY (SCREW TYPE)					
380	PMSB 202S	20	20	200	54.00
381	PMSB 252S	25	20	200	58.50
G.I. CIRCULAR BOX - TEE - 3 WAY (SCREW TYPE)					
382	PGIB 253	25	20	200	83.50
M.S. CIRCULAR BOX - TEE - 3 WAY (SCREW TYPE)					
383	PMSB 203	20	20	200	56.50
384	PMSB 253	25	20	200	63.00




CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
G.I. CIRCULAR BOX - INTERSECTION - 4 WAY (SCREW TYPE)					
385	PGIB 254	25	20	200	87.00
M.S. CIRCULAR BOX - INTERSECTION - 4 WAY (SCREW TYPE)					
386	PMSB 204	20	20	200	64.50
387	PMSB 254	25	20	200	68.50
G.I. INSPECTION BEND (SCREW TYPE)					
388	PGI25 IB	25	20	200	79.50
M.S. INSPECTION BEND (SCREW TYPE)					
389	PMS20 IB	20	20	200	51.50
390	PMS25 IB	25	20	200	58.00
M.S. NORMAL BEND - INTERNAL THREAD					
391	PMS25NB	25	12	144	88.00



uPVC Mini/Maxi Trunking Profile & Fittings



Precision uPVC Mini/Maxi Trunking Profile and Fittings are manufactured from high impact unplasticised polyvinyl chloride (uPVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards. The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standards IS 14927-Part 2 and BS EN 50085-2-1. Mini Trunking Profile are also available with self fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance.

Precision uPVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors.

Application


To organize and protect cables on surface.

Features


- Fast installation and easy maintenance.
- Secure and elegant look.
- Wide range of sizes to suit all cabling requirements
- Durable and impact resistant
- Fire retardant
- Corrosion free
- Thermal resistant from -5°C to +60°C

Colours

Ivory, White



Fire retardant,
corrosion free



Wide range

uPVC MINI / MAXI TRUNKING PROFILE

HSN : 39162019

 COLOUR : IVORY WHITE


SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc x Mtr	Mtr/Bdl	RATE (Mtr)
uPVC MINI TRUNKING PROFILE (IVORY / WHITE)					
392	PT2012	20 x 12	100 x 2m	200	36.00
393	PT2512	25 x 12	100 x 2m	200	45.50
‡ 394	PT3015	30 x 15	100 x 2m	200	50.50 NEW
395	PT3212	32 x 12	100 x 2m	200	57.50
‡ 396	PT1616	16 x 16	100 x 2m	200	34.00
397	PT2516	25 x 16	100 x 2m	200	52.00
‡ 398	PT3216	32 x 16	100 x 2m	200	53.50 NEW
399	PT3816	38 x 16	50 x 2m	100	79.50
400	PT3825	38 x 25	50 x 2m	100	90.00
401	PT3838	38 x 38	25 x 2m	50	118.00
402	PT5016	50 x 16	50 x 2m	100	136.00
uPVC MINI TRUNKING PROFILE (SELF ADHESIVE - IVORY / WHITE)					
‡ 403	PTS1616	16 x 16	100 x 2m	200	40.50
404	PTS2516	25 x 16	100 x 2m	200	62.00
405	PTS3816	38 x 16	50 x 2m	100	96.00
406	PTS3825	38 x 25	50 x 2m	100	106.50

‡ Special Size

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc x Mtr	Mtr/Bdl	RATE (Mtr)
uPVC MAXI TRUNKING PROFILE (WHITE)					
407	PT5050	50 x 50	20 x 2m	40	226.00
408	PT7550	75 x 50	12 x 2m	24	547.00
409	PT7575	75 x 75	9 x 2m	18	709.00
410	PT10050	100 x 50	10 x 2m	20	886.00
411	PT100100	100 x 100	6 x 2m	12	1286.00
412	PT15050	150 x 50	5 x 2m	10	1345.00
MT - MAXI TRUNKING PROFILE (WHITE)					
413	PMT150150	150 x 150	2 x 3m	6	1470.00
uPVC MAXI TRUNKING PROFILE DIVIDER (WHITE)					
∞ 414	PMTD	Standard	50 x 2m	100	122.00
RECTANGULAR CHANNEL PROFILE (WHITE)					
415	PCH 13	13 x 9	50 x 2m	100	27.50
416	PCH 25	25 x 9	50 x 2m	100	34.00
417	PCH 38	38 x 9	50 x 2m	100	44.50

∞ For 100 x 50

uPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN : 39174000

 COLOUR : IVORY WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box	RATE (Pc)
COUPLER				
418	PTC 2012	20 x 12	100	5.00
419	PTC 2512	25 x 12	100	4.00
420	PTC 3212	32 x 12	100	4.50
421	PTC 1616	16 x 16	100	5.00
422	PTC 2516	25 x 16	100	5.00
423	PTC 3816	38 x 16	50	8.50
424	PTC 3825	38 x 25	50	9.50
425	PTC 10050	100 x 50(W)	10	22.00
ELBOW				
426	PTB 2012	20 x 12	100	7.00
427	PTB 2512	25 x 12	100	5.00
428	PTB 3212	32 x 12	100	8.50
429	PTB 1616	16 x 16	100	5.00
430	PTB 2516	25 x 16	100	7.50
431	PTB 3816	38 x 16	100	10.00
432	PTB 3825	38 x 25	100	12.00
433	PTB 10050	100 x 50(W)	10	92.50
TEE				
434	PTT 2012	20 x 12	100	7.50
435	PTT 2512	25 x 12	50	7.00
436	PTT 3212	32 x 12	50	9.50
437	PTT 1616	16 x 16	100	7.50
438	PTT 2516	25 x 16	50	8.00
439	PTT 3816	38 x 16	50	12.00
440	PTT 3825	38 x 25	50	13.50
441	PTT 10050	100 x 50(W)	10	87.00

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box	RATE (Pc)
INTERNAL BEND				
442	PTI 2512	25 x 12	100	2.50
443	PTI 3212	32 x 12	100	5.00
444	PTI 1616	16 x 16	100	5.00
445	PTI 2516	25 x 16	100	6.50
446	PTI 3816	38 x 16	100	7.50
447	PTI 3825	38 x 25	50	9.50
448	PTI10050	100 x 50(W)	10	35.50
EXTERNAL BEND				
449	PTE 2512	25 x 12	100	3.00
450	PTE 3212	32 x 12	100	7.00
451	PTE 1616	16 x 16	100	7.50
452	PTE 2516	25 x 16	100	8.50
453	PTE 3816	38 x 16	100	9.50
454	PTE 3825	38 x 25	50	14.00
455	PTE 10050	100 x 50(W)	10	63.50
4 WAY				
456	PTW3212	32 x 12	50	15.50
END CAP				
457	PMTC 100	100 x 50(W)	50	19.00

uPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN : 39162019

COLOUR : IVORY WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box Pc/Carton		RATE (Pc)
JUNCTION LINKER					
458	PTJL7575	Standard	25	500	9.50



SR NO	PRODUCT CODE	SIZE W x H (inch)	STANDARD PACK Pc/Box Pc/Carton		RATE (Pc)
SURFACE SWITCH BOX - TRUNKING KNOCKOUT (WHITE)					
\$ 459	PTSB1	3" x 3"	10	300	64.00
\$ 460	PTSB2	6" x 3"	10	200	106.00




\$ 16x16,25x16 Knockout Available

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)

HSN : 39174000

COLOUR : WHITE


SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Bag	RATE (Pc)
ELBOW				
461	PMTL50	50 x 50	5	121.00
462	PMTL751	75 x 50	5	293.00
463	PMTL752	75 x 75	5	348.00
464	PMTL1002	100 x 100	5	496.00
465	PMTL1501	150 x 50	5	472.00
466	PMTL1502	150 x 150	-	-
TEE				
467	PMTT50	50 x 50	5	171.00
468	PMTT751	75 x 50	5	293.00
469	PMTT752	75 x 75	5	348.00
470	PMTT1002	100 x 100	5	496.00
471	PMTT1501	150 x 50	5	472.00
472	PMTT1502	150 x 150	-	-
INTERNAL ANGLE				
473	PMTI50	50 x 50	5	121.00
474	PMTI751	75 x 50	5	293.00
475	PMTI752	75 x 75	5	348.00
476	PMTI1002	100 x 100	5	496.00
477	PMTI1501	150 x 50	5	472.00
478	PMTI1502	150 x 150	-	-



SR NO	PRODUCT CODE	SIZE W x H (mm)	STD.PACK Pc/Bag	RATE (Pc)
EXTERNAL ANGLE				
479	PMTE50	50 x 50	5	121.00
480	PMTE751	75 x 50	5	293.00
481	PMTE752	75 x 75	5	348.00
482	PMTE1002	100 x 100	5	496.00
483	PMTE1501	150 x 50	5	472.00
484	PMTE1502	150 x 150	-	-
END CAP				
485	PFTC50	50 x 50	5	34.00
486	PFTC751	75 x 50	5	47.00
487	PFTC752	75 x 75	5	54.50
488	PFTC1002	100 x 100	5	114.00
489	PFTC1501	150 x 50	5	126.00



uPVC Panel Trunking



Precision uPVC Panel Trunking are manufactured from high impact unplasticised polyvinyl chloride (uPVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium and big size panels & various applications where economy, space saving, safety and durability are paramount.

Applications

To conduct, organize, and protect cables inside electrical and telecommunication panels, industrial machinery wiring, Computer LAN wiring and data centers.

Features

- Non – brittle, flame retardant, wrap proof
- Vertical slids and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires
- Avoids bunching, taping and provides complete electrical insulation
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting
- High tensile strength 390 kg/cm²
- Thermal resistant from -5°C to +60°C

Colour
Grey



Thermal resistant

uPVC PANEL TRUNKING

HSN : 85381010

COLOUR : GREY



SR NO	PRODUCT CODE	SIZE H x W (mm)	STANDARD PACK Pc x Mtr Mtr/Carton	RATE (Mtr)	
uPVC PANEL TRUNKING - STANDARD SLOT					
490	PPT1515	15 x 15	200 x 1m	200	64.00
491	PPT2525	25 x 25	130 x 1m	130	96.00
492	PPT3025	30 x 25	125 x 1m	125	103.00
493	PPT4525	45 x 25	90 x 1m	90	126.00
494	PPT4545	45 x 45	50 x 1m	50	176.00
495	PPT4560	45 x 60	50 x 1m	50	226.00
496	PPT6025	60 x 25	70 x 1m	70	162.00
497	PPT6040	60 x 40	60 x 1m	60	202.00
498	PPT6045	60 x 45	50 x 1m	50	203.00
499	PPT6060	60 x 60	40 x 1m	40	256.00
500	PPT7525	75 x 25	60 x 1m	60	206.00
501	PPT7575	75 x 75	30 x 1m	30	376.00
502	PPT10075	100 x 75	24 x 1m	24	616.00
503	PPT100100	100 x 100	16 x 1m	16	728.00



SR NO	PRODUCT CODE	SIZE H x W (mm)	STANDARD PACK Pc x Mtr Mtr/Carton	RATE (Mtr)	
uPVC PANEL TRUNKING - THIN SLOT					
504	PPT3025TS	30 x 25	125 x 1m	125	107.00
505	PPT4525TS	45 x 25	90 x 1m	90	133.00
506	PPT4545TS	45 x 45	50 x 1m	50	185.00
507	PPT4560TS	45 x 60	50 x 1m	50	227.00
508	PPT6025TS	60 x 25	70 x 1m	70	174.00
509	PPT6040TS	60 x 40	60 x 1m	60	214.00
510	PPT6045TS	60 x 45	50 x 1m	50	215.00
511	PPT6060TS	60 x 60	40 x 1m	40	270.00



SR NO	PRODUCT CODE	SIZE (mm)	STANDARD PACK Pc x Mtr Mtr/Carton	RATE (Mtr)	
uPVC PANEL TRUNKING - TOP COVER					
512	PPT25T	25	100 x 1m	100	39.50
513	PPT40T	40	50 x 1m	50	65.00
514	PPT45T	45	50 x 1m	50	69.00
515	PPT60T	60	50 x 1m	50	107.00
516	PPT75T	75	25 x 1m	25	107.00
517	PPT100T	100	25 x 1m	25	171.00




OPTIMAL GRIP LID

- Precision's Panel Trunking lid design provides high capacity to sustain leads of wire in the case of a cable positioned in the centre of the duct and avoids them from riding up.
- Quick snap on/off and non-slip assembly forms a firm rigid channel.

- Interlocking lid and channel is optimised to make the system easier to install and to provide discrete routing of cables.
- Uniform grip and thickness throughout the length system with independent non-slip lid, keeps cover in place during high vibration applications.



STANDARD SLOT




THIN SLOT




WALL PERFORATION RIB DESIGN

- All wall perforation ribs of Precision Panel Trunking have larger rounded slots for easy insertion of wires and cables.
- Rounded design with burr-free edges to prevent any injury to the hand of the user or to the cable insulation.




ELONGATED MOUNTING SLOTS

- Perforated base with elongated slot allows flexible mounting and better fastening of the cables.
- Robust sections.



For Panel Trunking
75 x 75, 100 x 75 & 100 x 100



For Panel Trunking
15 x 15, 25 x 25, 30 x 25, 45 x 25, 45 x 45,
45 x 60, 60 x 25, 60 x 45, 60 x 60

- All dimensions in (mm)

Corrugated Flexible Conduit Pipes & Fittings



Precision Corrugated Flexible Conduit Pipes come in a wide and comprehensive range of material variants to suit variety of applications. These conduits are manufactured in slit and non-slit variants based on the final application for wiring purposes.


Polypropylene Flexible Conduits are the best solution for applications where resistance to constant flexing and vibration is essential. These conduits display excellent flexibility, moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from -5°C to +90°C.

Fire Retardant Polypropylene Flexible Conduits are self extinguishing. These conduits are manufactured from UL94 V2 rated material, ideally suited for automobile applications, wire harnessing, electrical wiring, cable protection and an envelope to LPG gas conductors. Temperature resistant from -5°C to +90°C.

Polyamide Flexible Conduits are manufactured from flame retardant and self extinguishing (PA6) material, making them suitable for high temperature zones where human life or components are at risk, high resistance to corrosion by most mineral oils, acids and alkalis. They are widely used in automobile applications and have temperature resistance upto +120°C.

Steel Wire Reinforced Flexible uPVC Conduits are manufactured with soft polyvinyl chloride (uPVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali, saline water. Most suitable for electrical wiring in building, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from -5°C to +60°C.

Colours



Black, Grey, Ivory & White



Red, Green, Blue & Yellow



Fire retardant,
corrosion free

Precision Galvanised Steel Flexible Conduit

Precision Steel Flexible Conduit Pipes are made from Galvanized steel, helical wound strips having a Square Lock type Construction and are manufactured in accordance to Indian/British Standards in Galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air Conditioning, Ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions.

Precision Galvanised Steel Flexible Conduit with PVC Coating

Precision PVC Coated Steel Flexible Conduit Pipes are made from Galvanized steel, helical wound strips having a Square Lock type Construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating Black/Grey colour with spiral corrugated pattern finished surface.

Most suitable for Mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.


CORRUGATED FLEXIBLE CONDUIT PIPES

HSN : 39173100

BLACK	GREY	IVORY	WHITE	RED	GREEN	BLUE	YELLOW
-------	------	-------	-------	-----	-------	------	--------

DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS			
Nominal Diameter (mm)	Maximum Outside Diameter (mm)	Tolerance On Outside Diameter (mm)	Minimum Inside Diameter (mm)
10	10	-0.1	7.0
16	16	-0.3	10.7
20	20	-0.3	14.1
25	25	-0.4	18.3
32	32	-0.4	24.3
40	40	-0.4	31.2
50	50	-0.5	39.6
63	63	-0.6	52.6

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Mtr/Coil	Mtr/Bag	
(PP) POLY PROPYLENE					
518	PCFC 10	10	100	1000	11.00
519	PCFC 16	16	50	500	11.00
520	PCFC 20	20	50	500	15.50
521	PCFC 25	25	25	250	21.50
522	PCFC 32	32	25	250	34.50
523	PCFC 40	40	20	100	47.00
524	PCFC 50	50	15	75	73.50
525	PCFC 63	63	10	50	114.00
FRPP (FIRE RETARDANT POLY PROPYLENE)					
526	PCFR 10	10	100	1000	21.50
527	PCFR 16	16	50	500	21.50
528	PCFR 20	20	50	500	23.50
529	PCFR 25	25	25	250	35.00
530	PCFR 32	32	25	250	56.00
531	PCFR 40	40	20	100	83.50
532	PCFR 50	50	15	75	118.00
533	PCFR 63	63	10	50	196.00



DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES				
Normal Size (mm)	Normal Size (inch)	OD (mm)	ID (mm)	Bending radius/mm
16	1/2"	15.5	12.5	40
20	3/4"	22.5	19.5	55
25	1"	28	25.0	60
32	1 1/4"	35.0	32.0	70
40	1 1/2"	42.0	38.0	80
50	2"	54.0	50.0	90

*Tolerance : Size below 50mm, +/- 1mm & above 50mm +/- 3mm

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING				
Normal Size (mm)	Normal Size (inch)	OD (mm)	ID (mm)	Bending radius/mm
16	1/2"	16.5	12.5	40
20	3/4"	23.5	19.5	55
25	1"	29	25.0	60
32	1 1/4"	36.5	32.0	70
40	1 1/2"	44.0	38.0	80
50	2"	57.0	51.0	90

*Tolerance : Size below 50mm, +/- 1mm & above 50mm +/- 3mm

CORRUGATED FLEXIBLE CONDUIT PIPES (SLITTED)

HSN : 39173100

BLACK	GREY	IVORY	WHITE	RED	GREEN	BLUE	YELLOW
-------	------	-------	-------	-----	-------	------	--------

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Mtr/Coil	Mtr/Bag	
(PP) POLY PROPYLENE					
534	PCFC 10S	10	100	1000	14.00
535	PCFC 16S	16	50	500	14.00
536	PCFC 20S	20	50	500	17.00
537	PCFC 25S	25	25	250	25.00
538	PCFC 32S	32	25	250	38.50
539	PCFC 40S	40	20	100	49.50
540	PCFC 50S	50	15	75	75.50
541	PCFC 63S	63	10	50	116.00
FRPP (FIRE RETARDANT POLY PROPYLENE)					
542	PCFR 10S	10	100	1000	23.50
543	PCFR 16S	16	50	500	23.50
544	PCFR 20S	20	50	500	27.00
545	PCFR 25S	25	25	250	38.00
546	PCFR 32S	32	25	250	58.50
547	PCFR 40S	40	20	100	85.50
548	PCFR 50S	50	15	75	121.00
549	PCFR 63S	63	10	50	199.00



CORRUGATED FLEXIBLE CONDUIT PIPE FITTINGS

HSN : 39174000

COLOUR : **BLACK** **GREY**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
CORRUGATED FLEXIBLE CONDUIT GLAND					
550	PFAG 16	16	125	2250	5.50
551	PFAG 20	20	75	1350	7.50
552	PFAG 25	25	50	900	9.50
553	PFAG 32	32	30	540	11.50
554	PFAG 40	40	20	360	17.00
555	PFAG 50	50	5	150	22.00



CORRUGATED FLEXIBLE CONDUIT PIPES

HSN : 39173100

COLOUR : **BLACK** **GREY**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
NYLON (POLYAMIDE)					
556	PCPA 10	10	100	1000	83.00
557	PCPA 16	16	50	250	89.00
558	PCPA 20	20	50	250	105.00
559	PCPA 25	25	25	125	154.00
560	PCPA 32	32	25	125	235.00
561	PCPA 40	40	20	100	319.00
562	PCPA 50	50	15	75	443.00
563	PCPA 63	63	10	50	693.00



STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE

HSN : 39172190

COLOUR : **GREY**

SR NO	PRODUCT CODE	SIZE ID (mm)	STANDARD PACK		RATE (Mtr)
STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPES					
564	PCWR 10	10	30	300	52.00
565	PCWR 16	16	30	300	63.50
566	PCWR 20	20	30	240	87.00
567	PCWR 25	25	30	210	100.50
568	PCWR 30	30	30	150	128.50
569	PCWR 40	40	30	120	156.50
570	PCWR 50	50	30	90	177.00
571	PCWR 60	60	15	75	256.00



STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE FITTINGS

HSN : 39174000

COLOUR : **GREY**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT GLAND					
572	PFRG 10	10	75	1350	9.50
573	PFRG 16	16	60	1080	11.00
574	PFRG 20	20	45	810	14.00
575	PFRG 25	25	30	540	18.00
576	PFRG 30	30	20	360	23.00
577	PFRG 40	40	15	270	30.00
578	PFRG 50	50	5	150	42.50



GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

HSN : 83071000

COLOUR : **SILVER**

SR NO	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (inch)	STANDARD PACK		RATE (Mtr)
GALVANIZED STEEL FLEXIBLE CONDUIT						
579	PGIFC16	16	1/2"	15	210	38.00
580	PGIFC20	20	3/4"	15	150	51.00
581	PGIFC25	25	1"	15	105	77.50
582	PGIFC32	32	1 1/4"	15	75	93.00
583	PGIFC40	40	1 1/2"	15	75	106.50
584	PGIFC50	50	2"	10	50	154.00



GALVANISED STEEL FLEXIBLE CONDUIT WITH PVC COATING

HSN : 83071000

COLOUR : **BLACK** **GREY**

SR NO	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (inch)	STANDARD PACK		RATE (Mtr)
GALVANISED STEEL FLEXIBLE CONDUIT WITH PVC COATING						
585	PGIFCP16	16	1/2"	50	250	59.50
586	PGIFCP20	20	3/4"	25	150	79.00
587	PGIFCP25	25	1"	25	125	119.50
588	PGIFCP32	32	1 1/4"	15	75	143.00
589	PGIFCP40	40	1 1/2"	15	75	168.00
590	PGIFCP50	50	2"	15	60	239.00



DOUBLE WALL CORRUGATED (DWC) Pipes & Fittings



Precision DWC PE Pipes are manufactured from HDPE material in accordance with IS 16205 (Part 24) : 2018 / IS 14930 (Part 2) : 2001 for cable ducting with a bending radius of 2200mm. The outer layer having corrugation and inner layer with plain and smooth surface for excellent mechanical & electrical properties for cable ducting.

Application

These pipes are meant for protection of cables for Telecom Ducting, Power Cable Distribution, Electrical Applications, indoor ventilation.

Features

- Excellent underground life
- Leak proof tightness
- Flame retardant
- Excellent impact strength
- Resistance to external influences IP 67,
- Chemical resistance
- Protection against rodent infestation

Colour

Black & Orange



Fire retardant,
corrosion free

DOUBLE WALL CORRUGATED (DWC) PIPES

HSN : 39172190



COLOUR : **BLACK** **ORANGE**

SR NO	PRODUCT CODE	STD. SIZE		RATE (mtr)	RATE 6mtr/pc
		OD mm	ID mm		
HIGH DENSITY POLYETHYLENE PIPE WITH 1 COUPLER (450 N)					
591	PDWC 75	75	63	-	-
592	PDWC 90	90	75	-	-
593	PDWC 110	110	95	-	-
594	PDWC 120	120	103	-	-
595	PDWC 160	160	135	-	-
596	PDWC 180	180	150	-	-
597	PDWC 200	200	175	-	-



DOUBLE WALL CORRUGATED (DWC) PIPE FITTINGS

HSN : 39172190

COLOUR : **BLACK** **ORANGE**

SR NO	PRODUCT CODE	SIZE ID (mm)	STANDARD PACK Pc/Box	RATE (Pc)
COUPLER				
598	PDWC 75C	75	1	-
599	PDWC 90C	90	1	-
600	PDWC 110C	110	1	-
601	PDWC 120C	120	1	-
602	PDWC 160C	160	1	-
603	PDWC 180C	180	1	-
604	PDWC 200C	200	1	-
1- 90° BEND WITH (1-BEND + 2 COUPLER)				
605	PDWC 75B	75	1	-
606	PDWC 90B	90	1	-
607	PDWC 110B	110	1	-
608	PDWC 120B	120	1	-
609	PDWC 160B	160	1	-
610	PDWC 180B	180	1	-
611	PDWC 200B	200	1	-



SR NO	PRODUCT CODE	SIZE ID (mm)	STANDARD PACK Pc/Box	RATE (Pc)
1- EQUAL TEE WITH (1-EQUAL TEE + 3 COUPLER)				
612	PDWC 75T	75	1	-
613	PDWC 90T	90	1	-
614	PDWC 110T	110	1	-
615	PDWC 120T	120	1	-
616	PDWC 160T	160	1	-
617	PDWC 180T	180	1	-
618	PDWC 200T	200	1	-
1- 45° Y TEE (1-45° Y TEE + 3 COUPLER)				
619	PDWC 75Y	75	1	-
620	PDWC 90Y	90	1	-
621	PDWC 110Y	110	1	-
622	PDWC 120Y	120	1	-
623	PDWC 160Y	160	1	-
624	PDWC 180Y	180	1	-
625	PDWC 200Y	200	1	-



PRODUCTS IN
PARTNERSHIP WITH



UK OWNED
UK MANUFACTURER 

MARSHALL TUFFLEX

INNOVATIVE IDEAS IN CABLE
MANAGEMENT

THE LARGEST SELECTION OF CABLE
MANAGEMENT SOLUTIONS FOR THE
MODERN ENVIRONMENT

- STERLING PROFILE 1
- 3 COMPARTMENT



- STERLING CURVE PROFILE 1 -
3 COMPARTMENT



www.marshall-tufflex.com

Plumbing PIPING SYSTEMS

CPVC Pipes & Fittings
ASTM (uPVC) Pipes & Fittings
Sewerage Waste and Rainwater (SWR) Pipes & Fittings
Agriculture uPVC Pipes & Fittings



TERMS & CONDITIONS

- All mentioned prices are exclusive of GST and other government taxes (if any).
- The above prices are ex-factory.
- Any revision in existing taxation or any new government taxes will be to buyers' account only.
- Prices are subjected to change without prior notice.
- Subject to Mumbai Jurisdiction.

ISO 9001:2015



Har Building ki Lifeline
PRECISION PIPELINE

Precision Plastic Industries Pvt. Ltd.

19/D, Nand Jyot Industrial Estate,
Safed Pool, Andheri-Kurla Road,
Andheri (East), Mumbai 400072, India

Customer Care : +91 77150 00015 | electrical@precisionpipes.com | www.precisionpipes.com