

in•stan•ding / ɪnˈstændɪŋ / *n* **1** The wisdom of being able to distinguish exquisite from extravagant, substantial from superficial, and truly outstanding from merely standing out; **2** The ability to mix and match the best in life without being constrained by hype or stereotype; **3** The self-confidence that comes from being able to live with the approval of one's inner soul rather than conforming to peer-pressure; **4** A refusal to simply follow the crowd. □ *adj* A state of displaying in-standing characteristics, esp. in relation to behaviour or lifestyle

THE REVOLUTIONARY FULL-FLAT SWITCH

The Full-Flat form factor has redefined many facets in life. Aeroplane seats. TVs. Mobile phones. Electric stoves... And now switches.

Aesthetically pleasing flat switches are in fact available. But only exclusive to luxurious electronic switches and lighting automation systems. The ZENcelo Full-Flat switch has been created for the majority who use electro-mechanical switches. Even on switches you never imagined can be Full-Flat...

With ZENcelo, luxury is no longer defined by price. But by wisdom - and style.










ENABLED BY A NEW PHYSICS

Switch designs are limited by many factors, primarily the switch mechanism. The patented “impress” (iso-motion-press) mechanism ensures the switch dolly remains stationary when it is “on” or “off”, and at the same time occupying a much smaller footprint. Freedom in design has become a reality.

Enabled by impress.mechanism, ZENcelo makes the future flatter than you ever imagined.



i'm'press™
mechanism



COLOUR OPTIONS THAT ARE ANYTHING BUT FLAT

Comes in a chameleon-like palette of colours. Seamlessly blends with even the most highly stylised contemporary setting.

Standard fascias include the timeless white and the zen-attuned silver bronze.

Plus hundreds of customizable Colour Imagination options.




INDICATE

THE CURRENT STATUS

Form does not sacrifice function. Knowing when the Full-Flat switch is turned on is not taken for granted.

The patent-pending “Ondicator” changes to marigold when turned “on”. And blends into the same colour as the dolly when “off”.

Meticulously designed to the finest detail – Not only for looks, but also for practicality.



OUTSTANDING HOSPITALITY

FOR THE BLEISURE AGE

Nowadays, people are “always on” even when they are traveling. Hotels which want to deliver a satisfying experience to their room guests will install the latest in power, connectivity and service management. It is all the better when these are done in style.

Consistent ZENcelo design excellence from simple switches to comprehensive **220V hotel accessories**, that manifest the best of ZENcelo form and function.

Truly well designed, truly excellent quality, and truly compatible with more plugs than any other, **TruGlobal Socket** is the truly smart choice. The TruGlobal socket is compatible with the plug standard of leisure and business travellers - the widest coverage ever in the history of sockets.



With integrated RJ45 sockets, **ZENcelo ELV+** wall plates eliminate the compatibility problems between data cables and conventional 240V electrical connection terminals. Natural, straightforward and speedy installation with more reliable performance.



ZENcelo MAP (Media and Power) Panel let hotel guests link their multi-media devices to the in-room Audio and Video system to enjoy their personal entertainment in hotel rooms. Equipping hotel with MAP Panel will elevate hotel services to undreamt level of quality. Apart from general RCA input, MAP Panel also supports HDMI, USB, Audio and Computer input to television.





PICTURE PERFECT

It is a simple but ingenious idea that allows the aligning of multiple switches and sockets in a perfectly straight, evenly-spaced line. Thanks to the system's specially designed connectors, surrounds and grid plate structures, there is ultimately no limit to the number of switches or sockets you can line up. As a result, it's now easier than ever before to realize superior aesthetic quality in both your hardware and installations.





EMBRACE QUALITY

Made of corrosion resistant, heat resistant and impact resistant polycarbonate.

Data socket with patented integrated shutter.

Electrical socket with reinforced-nylon protective shutter.

Switches are electric arc encapsulated.

Phillips head screw to fit both flat and cross head screwdrivers.

Switches tested to 80,000 times. Sockets tested to 15,000 cycles. Durable to last more than a decade.

IEC, BS, SS, MS, GB, CCC and/or IS compliant.

















All RoHS compliant.






	Product Number	Product Description	
Flush Switches			
 E8431/1	 E8432/1	 E8433/1	E8431/1 16AX 1 Gang 1 Way Full-Flat Switch with Ondicator
 E8431/2	 E8432/2	 E8433/2	E8432/1 16AX 2 Gang 1 Way Full-Flat Switch with Ondicator
 E8434/1	 E8431/I	 E8431BP1	E8433/1 16AX 3 Gang 1 Way Full-Flat Switch with Ondicator
			E8434/1 16AX 4 Gang 1 Way Full-Flat Switch with Ondicator
			E8431/2 16AX 1 Gang 2 Way Full-Flat Switch
			E8432/2 16AX 2 Gang 2 Way Full-Flat Switch
			E8433/2 16AX 3 Gang 2 Way Full-Flat Switch
			E84T34/1 16AX 2+2 Gang 1 Way Full-Flat Switch with Ondicator
			E84T34/2 16AX 2+2 Gang 2 Way Full-Flat Switch with Ondicator
			E8431/I 16AX 1 Gang Full-Flat Intermediate Switch
			E8431BP1 10A Full-Flat Bell Switch
Dimmer Switches			
 E8431EPD4	 E8432EPD3		E8431EPD4 1 Gang 350VA, 50Hz Full-Flat Universal Dimmer with LED
 E84752D500	 Remote Controller		E8432EPD3 2 Gang 300VA, 50Hz Full-Flat Universal Dimmer with LED
			E84752D500 Silent Dimmer
			E84752D500T Silent Dimmer with Remote Controller
Fan Control Switch			
 E8431SPF			E8431SPF 1 Gang Full-Flat Fan Controller
Double Pole Switches			
 E8431D20	 E8432D20	 E8431D32 E8431D45	E8431D20 20A 1 Gang Full-Flat Double Pole Switch with Neon
			E8432D20 20A 2 Gang Full-Flat Double Pole Switch with Neon
			E8431D32 32A 1 Gang Full-Flat Double Pole Rocker Switch with Neon
			E8431D45 45A 1 Gang Full-Flat Double Pole Rocker Switch with Neon
			E84T31D45N* 45A (Twin Gang Size) 1 Gang Full-Flat Double Pole Rocker Switch with Neon
Panic Button			
 E8431KPB			E8431KPB* Panic Button with Key Reset

*Contact your sales representatives for more details

NB: Available in other colour options. Contact your sales representative for details














Socket Outlets			Product Number	Product Description
			E84426/5*	5A 1 Gang 3 Round Pin Socket with Shutter
			E8415/5*	5A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator
			E8415/5N*	5A 1 Gang 3 Round Pin Switched Socket with Shutter and Neon
			E84426/10S	10A 1 Gang 3 Flat Pin Socket with Shutter
			E84426/10US	10A 1 Gang 2 Universal Pin + 3 Flat Pin Socket with Shutter
			E84426U	10A 1 Gang Universal Socket
			E84426U2	10A 2 Gang Universal Socket
			E8415/10US	10A 1 Gang Switched 2 Universal Pin +3 Flat Pin Socket with Shutter and Ondicator
			E8415/10USN	10A 1 Gang Switched 2 Universal Pin +3 Flat Pin Socket with Shutter and Neon
			E8415U	10A 1 Gang Switched Universal Socket with Ondicator
			E8415/10S	10A 1 Gang 3 Flat Pin Switched Socket with Shutter and Ondicator
			E84426	13A 1 Gang Socket
			E84T426	13A Twin Gang Socket
			E8415	13A 1 Gang Switched Socket with Ondicator
			E84T25	13A Twin Gang Switched Socket with Ondicator
			E8415N	13A 1 Gang Switched Socket with Neon
			E84T25N	13A Twin Gang Switched Socket with Neon
			E8415D	13A 1 Gang Double Pole Switched Socket with Ondicator
			E8415DE	13A 1 Gang Double Pole Switched Socket with Ondicator and Dual Earth Terminal
			E84T25D	13A Twin Gang Double Pole Switched Socket with Ondicator
			E84T25DE	13A Twin Gang Double Pole Switched Socket with Ondicator and Dual Earth Terminal
			E8415DN	13A 1 Gang Double Pole Switched Socket with Neon
			E8415DEN	13A 1 Gang Double Pole Switched Socket with Neon and Dual Earth Terminal
			E84T25DN	13A Twin Gang Double Pole Switched Socket with Neon
			E84T25DEN	13A Twin Gang Double Pole Switched Socket with Neon and Dual Earth Terminal
			E84426/15*	15A 1 Gang 3 Round Pin Socket with Shutter
			E8415/15*	15A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator
			E8415/15N*	15A 1 Gang 3 Round Pin Switched Socket with Shutter and Neon
			E84426/16CS	16A 1 Gang Socket with Shutter
			E8415/16CS	16A 1 Gang Switched Socket with Shutter and Ondicator
			E8415/16CSN	16A 1 Gang Switched Socket with Shutter and Neon
			E84426/16S*	16A 250V 1 Gang Schuko Socket
			E84T426/16S*	16A 250V Twin Gang Schuko Socket

Colour Availability WE = White
SZ = Silver Bronze
SW = Silver White
SA = Silver Satin






	Product Number	Product Description
Connection and Control Units		
	E8431TB	25A Connection Unit
	E84554	45A Connection Unit
	E84T15D45N	45A Double Pole Switch +13A Switched Socket
Fused Connection Units		
	E8430FSG	1 Gang Fused Connection Unit
	E8430FSGN	1 Gang Fused Connection Unit with Neon
	E8431DFSGN	1 Gang Fused Connection Unit with Switch and Neon
Telecommunication Accessories		
	E8431TVM	1 Gang TV Socket Master
	E8431TVMF	1 Gang TV Socket Master, 5-1000 MHz, F Connection
	E8431TVS	1 Gang TV Socket Slave
	E8431TVSF	1 Gang TV Socket Slave, 5-1000 MHz, F Connection
	E8431CATV	1 Gang CATV Socket
	E8432TVFMM	2 Gang TV Master/FM Socket
	E8431RJS4	1 Gang Telephone Socket on Shuttered Wallplate
	E8432RJS4	2 Gang Telephone Socket on Shuttered Wallplate
	E8431RJ/5	1 Gang Data Outlet Category 5e with Integrated Shutter
	E8431RJS/5	1 Gang Data Outlet Category 5e on Shuttered Wallplate
	E8431RJ/6	1 Gang Data Outlet Category 6 with Integrated Shutter
	E8432RJS/6	1 Gang Data Outlet Category 6 on Shuttered Wallplate
	E8432RJS4	2 Gang Data Outlet Category 5e with Integrated Shutter
	E8432RJS/5	2 Gang Data Outlet Category 5e on Shuttered Wallplate
	E8432RJS/6	2 Gang Data Outlet Category 6 with Integrated Shutter
	E8432RJS	2 Gang Data Outlet Category 6 on Shuttered Wallplate
	E8432RJ	2 Gang Telephone + Data Outlet Category 5e with Integrated Shutter
	E8432TDRJ/5*	2 Gang Telephone + Data Outlet Category 5e on Shuttered Wallplate
	E8432TDRJ/6*	2 Gang Telephone + Data Outlet Category 6 with Integrated Shutter
	E8432TDRJ/5	2 Gang Telephone + Data Outlet Category 5e on Shuttered Wallplate
	E8432TDRJ/6	2 Gang Telephone + Data Outlet Category 6 on Shuttered Wallplate
	E8431RJ	1 Gang Wallplate without Modular Jack
	E8431RJS	1 Gang Shuttered Wallplate without Modular Jack
	E8432RJ	2 Gang Wallplate without Modular Jack
	E8432RJS	2 Gang Shuttered Wallplate without Modular Jack
Flush Plates and Accessories		
	E8430X	1 Gang Blank Plate
	E8430TX	Twin Gang Blank Plate

*Contact your sales representatives for more details

NB: Available in other colour options. Contact your sales representative for details

	Product Number	Product Description
Hotel Accessories		
	E8431EKT*	Electronic Key Card Time Delay Switch
	E8432DM*	Illuminated "Do Not Disturb" & "Please Clean Up" Symbols
	E8431D*	Illuminated "Do Not Disturb" Symbol
	E8431DS*	1 Gang Full-Flat Switch with Illuminated "Do Not Disturb" Symbol
	E8432DMS*	2 Gang Full-Flat Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols
	E8431BPD*	1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" Symbol
	E8431BPM*	1 Gang Full-Flat Bell Switch with Illuminated "Please Clean Up" Symbol
	E8431BPDM*	1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols
	E84426/16IS*	16A 1 Gang TruGlobal Socket with Shutter
	E84MAP9	Standard MAP Panel Base Unit (False Wall)
	E84MAPS	Standard MAP Panel Base Unit (Solid Wall)
	E84MAPHU9	MAP Panel Base Unit with HDMI/USB (False Wall)
	E84MAPHUS	MAP Panel Base Unit with HDMI/USB (Solid Wall)

	Product Number	Product Description
ELV+		
	E8431LV*	1 Gang Tactile Switch with LED Status Indicator
	E8432LV*	2 Gang Tactile Switch with LED Status Indicator
	E8433LV*	3 Gang Tactile Switch with LED Status Indicator
	E8432CLV*	2 Gang Tactile Switch with Curtain Open & Close Symbol
	E8433CLV*	3 Gang Tactile Switch with Curtain Open/Half/Close Symbol
	E8431EKT	Electronic Key Card Time Delay Switch
	E8431DSL*	1 Gang Tactile Switch with "Do Not Disturb" Icon
	E8431WSL*	1 Gang Tactile Switch with "Please Wait" Icon
	E8432DMSL*	2 Gang Tactile Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols
	E8431BDML*	1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols
	E8431BDWL*	1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" & "Please Wait" Symbols

	Product Number	Product Description
PerfectLine Ganging System		
	E8403-35	Central Surround with Regular Aperture, and Surround Connector
	E8403-36	Side Surround with Regular Aperture, and Surround Connector
	E8403-37	Central Surround with Elongated Aperture, and Surround Connector
	E8403-38	Side Surround with Elongated Aperture, and Surround Connector
	E8403-39	Surround Connector

Colour Availability WE = White#
SZ = Silver Bronze#
SW = Silver White
SA = Silver Satin
CT = Coares Titanium#
Colour Availability for MAP Panel Only

An outstanding person adds value to the work and life of other people, always doing the right thing at the right place, with a just-right degree of visibility. After all, the art of addition is not about shouting out loud. It's about an in-standing way of being.

ZENcelo, the revolutionary Full-Flat switch for an in-standing interior design.



ZENcelo
be in-standing



About Schneider Electric

As a global specialist in energy management with operations in more than 100 countries, Schneider Electric offers integrated solutions across multiple market segments, including leadership positions in energy and infrastructure, industrial processes, building automation, and data centres/networks, as well as a broad presence in residential applications. Focused on making energy safe, reliable, and efficient, the company's 100,000+ employees achieved sales of more than 15.8 billion euros in 2009, through an active commitment to help individuals and organisations "Make the most of their energy".

The Installation Systems & Control Division of Schneider Electric provides solutions that represent the best in lifestyle and innovation for offices, hotels and homes. These solutions include award-winning products in the areas of building and home automation, structured cabling, and designer switches and sockets. They help the finest architectures around the world to achieve more with less.

www.schneider-electric.com

www.zencelo.com
www.full-flat-switch.com

Schneider
 **Electric**

All right reserved by Schneider Electric.
SE052-0909-10