




COMMERCIAL & INSTITUTIONAL LIGHTING RANGE

Price List 2021

W.e.f : 1 June 2021



WIPRO LIGHTING



WIPRO LIGHTING

Since its inception, in 1992 Wipro Lighting has always been associated with new product innovations, unique lighting concepts, and ideas.

With 25+ years of experience in commercial and institutional lighting, Wipro Lighting provides best-in-class, LED lighting solutions. Partnering with customers, understanding their unique needs, and developing world-class LED lighting solutions keeps us motivated to achieve new milestones.



High efficiency
LED luminaires



Lighting
Management Systems



Lighting for
green buildings



High efficacy solutions
for industrial lighting



Complete outdoor streetlighting
& floodlighting range

Through our Internet of Lighting **(IoL)**[®] platform, Wipro Lighting provides comprehensive smart & connected lighting solutions for indoor and outdoor lighting applications.

With its continued efforts working towards lighting solutions meant for the WELLNESS of the people, Wipro Lighting has recently launched ULTRARAY[™] - one of its kind UV light luminaire range in India. It is a solution that can complement current protection measures.

We have a single-minded focus on enhancing competitive advantage and customer profitability at all times. It's our commitment to implement green lighting solutions to create possibilities for a brighter future and a cleaner planet.

inForm[™]

inSync[™]

ULTRARAY[™]

IoL[®]

Internet of Lighting

A Wipro Brand

Internet of Lighting (IoL)[®] is our step in the direction of offering our customers best in class solutions in lighting & beyond. It is Wipro Lighting's platform on which lighting and technology confluence.

TECHNOLOGIES



**Power over Ethernet
(PoE)
based Solutions**



**Bluetooth
Low Energy (BLE)**



**Smart &
Connected
Outdoors**



**Smart &
Connected
Spaces**



**Li-Fi based
Technology
Solutions**

Wipro Lighting's alliances with international technology companies have made its offerings a major differentiator and have evoked revolution in work-lives.

We have collaborated with Cisco for **Power over Ethernet (PoE)** based lighting solutions and Human Centric lighting solutions for new age workspaces enabling improvement in workspace productivity and enhanced employee well-being.

Our partnership with pure Li-Fi, Scotland will deliver high speed & secure data transmission through LED luminaires.

We have entered into partnership agreements with 3 prestigious technology brands - **Igor, USA** for its Smart & Connected lighting products; with **Schreder, Belgium** for premium and latest IoT based outdoor solutions; and with **Mapiq, Netherlands** for smart workplace solutions.



In partnership with
Schröder
Experts in lightability™



Modern Workspace
Recessed: 09
Modern Workspace
Suspended: 19
Commercial Interiors
Downlights: 33

Inform™: 38

inSync™
Human Centric Lighting Solutions: 48

Lighting Controls: 52

1

Cleanroom &
Sterile Areas: 60

Manufacturing
Plants & Industries: 62

2

Outdoor Lighting: 69

Street Lighting: 71

Area Lighting: 74

Landscape Lighting: 76

Arcus: 79

3

Solarise: 87

4

Index

Phased-out Products: 89

Terms and Conditions: 90

Branch Offices: 91

Recessed Luminaire Range

Modern Workspaces

Lighting for human WELLNESS, employee safety and productivity

Modern Workspaces

The workplace design in recent times is undergoing a radical change. Organizations are looking at creating spaces which enhances employee well-being. Wellness of employees, user experience, use of technology to deliver this is picking up pace.

Design Intents are changing globally and Indian market also sees the advent of new style workplace come into being.



Opus | LM 38

Opus is high efficiency, elegant, fluidic & modern in design LED luminaire with unique floating spherical diffuser and surrounding light chamber that subtly introduces a circular geometry into the ceiling plane.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM38-361-XXX-57-XX	32W	4000K	₹ 10,750
LM38-461-XXX-57-XX	34W	5700K	₹ 11,390
LM38-461-XXX-4057	34W	4000K-5700K	₹ 14,450

- LM38-461-XXX-4057 is a unique luminaire which has dual color CCT available in a single luminaire.
- Also available in, Analog/DALI dimmable and white color tunable.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590



Verge | LM 29

Our high efficiency recess mounted luminaire with its minimalistic design integrates into the ceiling creating a unique volumetric lighting experience.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM29-451-XXX-57-XX	33W	5700K	₹ 7,290
LM29-451-XXX-57RCC	33W	5700K	₹ 7,950
LM29-451-XXX-57GRD	33W	5700K	₹ 8,050

- Also available in 4000K CCT, Analog/DALI dimmable and white color tunable.
- RCC suffix denotes suspension mounting for RCC ceiling. GRD suffix denotes suspension mounting for modular ceiling.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.



reddot award 2017
winner





Mist | LM99

Mist is thoughtfully designed considering LG7 guideline and wellness standards. It combines indirect light with direct lighting components for reduced glare and optimized efficiency.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM99-641-XXX-57-XX	32W	5700K	₹ 7,090

- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.
- Also available in 4000K.



Elate | CRC010

Recessed/surfaced mounted LED luminaire with higher efficacy, full diffuser providing uniform light.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRC010R038HP57GL1	36W	5700K	₹ 5,790
CRC010S038HP57GL1	36W	5700K	₹ 6,150

- 'R' represents recess and 'S' represents surface mounting. Also available in 4000K CCT.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.




Immaculate Plus | CRC010

High efficient luminaire with 120 Lm/W efficacy helps in power saving and cost-saving.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRC010R020HP57HEG2	20W	5700K	₹ 6,550
CRC010R024HP57HEG2	24W	5700K	₹ 7,190
CRC010R030HP57HEG2	30W	5700K	₹ 7,650
CRC010R036HP57HEG2	36W	5700K	₹ 8,250

- Also available in 4000K CCT, Analog/DALI dimmable and white colour tunable options.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.



Immaculate Trimless | CRCO10

Immaculate Trimless with its unique frameless design blends with the ceiling minimizing the clutter, giving a distinct new look to the modern offices.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R024HP57TLG2	24W	5700K	₹ 6,590
CRCO10R038HP57TLG2	30W	5700K	₹ 7,090
CRCO10R036HP57TLG2	36W	5700K	₹ 7,450

- Also available in 4000K CCT.
- Frame to be ordered separately for installation in POP/gypsum ceiling.
- Catalogue no. for frame is 9180P01089 LP Rs. 590 | Cutout dimension: 608 mm x 608 mm.




Immaculate Smart | CRCO10

Smart lighting solution with inbuilt PIR sensors to control the lighting as per occupancy and daylight, leading to reduced power consumption and higher energy savings.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R030TL57UGSN	30W	5700K	₹ 14,090

- Also available in 4000K CCT.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.



Immaculate Soft | CRCO10

Revolutionary anti-glare luminaire, Immaculate Soft with UGR<19 helps to eliminate glare from the workplaces creating a visually pleasing and cheerful environment.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R030HP57UGG2	30W	5700K	₹ 7,090
CRCO10R036HP57UGG2	36W	5700K	₹ 7,390
CRCO10S030HP57UGG2	30W	5700K	₹ 8,090
CRCO10S036HP57UGG2	36W	5700K	₹ 8,450

- Also available in 4000K CCT.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.
- *MPO - Micro precision optics.



Immaculate | CRCO10

Fully diffused recess/surface mounted with white powder coating and CRCA front cover. HET diffuser provides uniform illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R038HP57G2	30W	5700K	₹ 6,350
CRCO10S038HP57G2	30W	5700K	₹ 6,450
CRCO10R036HP57G2	36W	5700K	₹ 6,690
CRCO10S036HP57G2	36W	5700K	₹ 6,850

- Also available in 4000K CCT, Analog/DALI dimmable and white colour tunable options.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.






Skyscale

Visual Influence for an
Immersive Experience

Splendid Contemporary Workspace Luminaire

Fabricated luminaires are a simple, out-of-the-box way to incorporate the unique ambience of a stretch fabric ceiling into your space. Large-scale luminaires bring in the feeling of the outdoors, to the indoors, by creating artificial skylights in a grid ceiling or filling an open space concept with canopies of light.

Wipro introduces a range of splendid contemporary Workspaces Luminaires - called Sky Scale - a linear suspended edge-lit luminaire that offers soothing and uniform light to enhance productivity. It holds a place of pride in today's commercial lighting scenario because of its large area ceiling lumination, modular design and other par-excellence features.



Attributes and Advantages

Splendid contemporary workspace luminaire



Immersive lighting

Delivers an adequate amount of light far and wide within workspace without creating visual discomfort.



Aesthetical & Functional

Customizable and moderate design with extruded aluminium housing, perfect for modern workspaces.



Seamless look

Perfectly assembled knitted fabric luminaire with no visible hardware on the external surface.



Visual comfort

Efficacious optical and special features of LEDs provide a mollifying and capacitive environment that gives visual comfort



Axeon Recess | LM34

Linear lighting solution for contemporary workspaces. Extruded aluminium housing with high transmittivity HET Diffuser. High transmittivity HET diffuser for standalone and seamless end to end connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM34-251XXX-57RMG1	20W	5700K	1200	₹ 8,550
LM34-251XX-57RMCG1	20W	5700K	1200	₹ 8,650
LM34-401XXX-57RMG1	30W	5700K	1200	₹ 9,290
LM34-401XX-57RMCG1	30W	5700K	1200	₹ 9,750
LM34-501XXX-57RMG1	40W	5700K	2400	₹ 15,350
LM34-501XX-57RMCG1	40W	5700K	2400	₹ 15,450
LM34-801XXX-57RMG1	60W	5700K	2400	₹ 17,990
LM34-801XX-57RMCG1	60W	5700K	2400	₹ 18,090

- Also available in 4000K CCT and Black housing colour option.
- Available in 4 feet and 8 feet variants.





Aura | CRC013

Recessed/surface mounted LED 4X1 luminaire, full diffuser provides uniform light.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRC013R036HP57GL1	36W	5700K	₹ 6,950
CRC013R038HP57GL1	30W	5700K	₹ 6,690
CRC013S036HP57GL1	36W	5700K	₹ 7,450
CRC013S038HP57GL1	30W	5700K	₹ 7,350

- Cutout dimensions: 1195mm x 295mm.
- 'R' represents recess and 'S' represents surface mounting.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Also available in 4000K CCT.



Lineos | LM30

Recessed linear luminaire, extruded aluminium with a satin finish PMMA diffuser for standalone and seamless end-to-end connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM30-211-XXX-57-G1	20W	5700K	1200	₹ 6,650
LM30-211XXX-57G1CT	20W	5700K	1200	₹ 6,750
LM30-401-XXX-57-G1	30W	5700K	2400	₹ 7,750
LM30-401XXX-57G1CT	30W	5700K	2400	₹ 7,850

- Cutout dimensions: 1205 mm x 80 mm. Also available in 4000K CCT, Analog/DALI variants.

NEW

TZ | LM66

Recess mounted extruded aluminium housing slim luminaire suitable for standalone & continuous TechZone ceiling. PMMA diffuser for uniform homogeneous light. Option in UGR diffuser available.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM66-531-XXX-57-XX	30W	5700K	1200	₹ 9,790
LM66-351-XXX-57-CT	20W	5700K	1200	₹ 9,650
LM66-531XXX-57UGXX	30W	5700K	1200	₹ 10,350
LM66-351XXX-57UGCT	20W	5700K	1200	₹ 10,090
LM66-102-XXX-57-XX	60W	5700K	2400	₹ 19,550
LM66-701-XXX-57-CT	40W	5700K	2400	₹ 18,950
LM66-102XXX-57UGXX	60W	5700K	2400	₹ 20,650
LM66-701XXX-57UGCT	40W	5700K	2400	₹ 19,390

• Also available in 4000K CCT and Analog/DALI dimmable.



A modern office interior featuring a large, light-colored wooden conference table with a hexagonal shape, surrounded by black office chairs. The ceiling is industrial-style with exposed ductwork and several large, illuminated hexagonal light fixtures. The background shows a glass-walled office area and a reception desk.

Suspended Luminaires Range

**Modern
Workspaces**

Do your offices in style



Stylus | LM43

Linear suspended luminaire with inset 12 mm profile with glare controlled beam angle for visual balance.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-491-XXX-57-WX	30W	5700K	1200	₹ 17,890
LM43-971-XXX-57-WX	60W	5700K	2400	₹ 20,950
LM43-321-XXX-57-WX	20W	5700K	1200	₹ 11,950
LM43-651-XXX-57-WX	40W	5700K	2400	₹ 18,750
LM43-451-XXX-57-WX	30W	5700K	1200	₹ 18,950
LM43-901-XXX-57-WX	60W	5700K	2400	₹ 21,590

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in Black housing, 4000k CCT & in Continuous variant. Order suspension separately. (Refer page no. 28)



Stylus MPO | LM43

Linear profiles with micro precision optics are the most preferred option for the soft glow and low glare in workspace.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-491XXX-57UGWX	30W	5700K	1200	₹ 18,850
LM43-971XXX-57UGWX	60W	5700K	2400	₹ 24,750
LM43-451XXX-57UGWX	30W	5700K	1200	₹ 19,350
LM43-102XXX-57UGWX	60W	5700K	2400	₹ 25,350

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in Black housing, 4000k CCT & in Continuous variant. Order suspension separately. (Refer page no. 28)



Stylus Collimator Lens | LM43

Linear profiles with collimator lens are the most preferred option for the critical tasks workspace. Ideal lighting solution for green building.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-271-045-57-WX	30W	5700K	1200	₹ 19,450
LM43-541-045-57-WX	60W	5700K	2400	₹ 27,650

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in Black housing, 4000k CCT & in Continuous variant. Order suspension separately. (Refer page no.28)



Stylus Louvres | LM43

Linear profiles with aluminium louvre are the most preferred option for those who love classics.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-451XXX-57ALWX	30W	5700K	1200	₹ 18,850
LM43-102XXX-57ALWX	60W	5700K	2400	₹ 24,750
LM43-491XXX-57ALWX	30W	5700K	1200	₹ 19,390
LM43-971XXX-57ALWX	60W	5700K	2400	₹ 25,350

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in Black housing, 4000k CCT & in Continuous variant. Order suspension separately. (Refer page no.28)



Stylus Angular | LM43

Unique connectors to create V, Y, L and T shape pattern with seamless connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM43-801-90L57-CTW	10W	5700K	Price on request
LM43-111-90L57-CTW	15W	5700K	Price on request
LM43-801-120V57CTW	10W	5700K	Price on request
LM43-111-120V57CTW	15W	5700K	Price on request
LM43-121-120Y57CTW	15W	5700K	Price on request
LM43-171-120Y57CTW	22W	5700K	Price on request
LM43-121-90+57CTW	15W	5700K	Price on request
LM43-161-90+57CTW	20W	5700K	Price on request
LM43-221-90+57CTW	20W	5700K	Price on request
LM43-171-90+57CTW	22W	5700K	Price on request




Stylus Nodal | LM43

Central downlight to connect linear fittings.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM43-161XXX-57SDW	10W	5700K	₹ 4,390

- Also available in 4000K CCT & black colour housing option, Order suspension separately. (Refer page no.28)



Stylus Asymmetric | LM43

Linear profiles with asymmetric reflector optics.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-271-A45-57-WX	20W	5700K	1200	Price on request
LM43-541-A45-57-WX	40W	5700K	2400	Price on request

- Available in 2400mm length.
- Also available in Black housing, 4000k CCT & in Continuous variant. Order suspension separately. (Refer page no.28)



Stylus Surface | LM43

Linear surface luminaire with inset 12 mm profile with glare controlled beam angle for visual balance.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-321-XXX-57SWX	20W	5700K	1200	Price on request
LM43-451-XXX-57SWX	30W	5700K	2400	Price on request

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in Black housing & 4000k CCT. Order suspension separately. (Refer page no.28)



Stylus with Tracklight | LM43

Integrated tracklight with precise beam angle in linear profile.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-161-030-57-WX	10W	5700K	600	Price on request

- Also available in Black housing variant. Order suspension separately. (Refer page no.28)



Stylus with Gimball | LM43

Integrated tracklight with precise beam angle in linear profile

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-701-055-57-WC	5W	5700K	600	Price on request

- Also available in Black housing variant. Order suspension separately. (Refer page no.28)



Stylus End Cap | LMX34

Ensure perfect locking.

Catalogue Reference No.

LP ₹

LMX34M09C-MTG

₹ 650



Axeon+ | LM34 (Unidirectional: Down)

Linear lighting solution with Extruded aluminium housing with high transmittivity HET / UGR diffuser for standalone and continuous variant.

NEW

Catalogue Reference No.	Wattage (W)	CCT (K)	Length	LP ₹
LM34-251-XXX-57WG2	20W	5700K	1200mm	Price on request
LM34-401-XXX-57WG2	30W	5700K	1200mm	Price on request
LM34-501-XXX-57WG2	40W	5700K	2400mm	Price on request
LM34-801-XXX-57WG2	60W	5700K	2400mm	Price on request
Axeon + (Unidirectional: down) with UGR diffuser				
LM34-251-XXX57UWG2	20W	5700K	1200mm	Price on request
LM34-401-XXX57UWG2	30W	5700K	1200mm	Price on request
LM34-501-XXX57UWG2	40W	5700K	2400mm	Price on request
LM34-801-XXX57UWG2	60W	5700K	2400mm	Price on request

• Available in 600mm, 750mm, 900mm & 1800mm length

• Also available in Black housing, continuous variant, analog/DALI dimmable & 4000k CCT. Order suspension separately. (Refer page no.28)



Axeon+ | LM34 (Bidirectional: Updown)

Linear lighting solution with Extruded aluminium housing with high transmittivity HET / UGR diffuser for standalone and continuous variant.

NEW

Catalogue Reference No.	Wattage (W)	CCT (K)	Length	LP ₹
LM34-361-XXX-57WG2	20W	5700K	1200mm	Price on request
LM34-721-XXX-57WG2	40W	5700K	2400mm	Price on request
Axeon + (Bidirectional: Updown) with UGR diffuser				
LM34-361-XXX57UWG2	20W	5700K	1200mm	Price on request
LM34-721-XXX57UWG2	40W	5700K	2400mm	Price on request

NEW




Axeon+ Louvre | LM34 (Bidirectional: Updown)

Linear lighting solution with Extruded aluminium housing with high transmittivity HET / UGR diffuser for standalone and continuous variant.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length	LP ₹
LM34-361-XX57CLWG2	30W	5700K	1100mm	Price on request
LM34-721-XX57CLWG3	60W	5700K	2200mm	Price on request

• Also available in Black housing, continuous variant, analog/DALI dimmable & 4000k CCT. Order suspension separately. (Refer page no.28)

NEW



Axeon+ Louvre | LM34 (Bidirectional: Updown)

Linear lighting solution with Extruded aluminium housing with high transmittivity HET / UGR diffuser for standalone and continuous variant.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length	LP ₹
LM34-930-90L57WCG2	10W	5700K	300mm	Price on request
LM34-930-60V57WCG2	10W	5700K	300mm	Price on request
LM34-930120V57WCG2	10W	5700K	300mm	Price on request
LM34-141120Y57WCG2	15W	5700K	300mm	Price on request
LM34-930-90T57WCG2	15W	5700K	300mm	Price on request
LM34-930-90+57WCG2	20W	5700K	300mm	Price on request
Axeon + Angulars UGR with UGR diffuser				
LM34-93090L57UWCG2	10W	5700K	300mm	Price on request
LM34-93060V57UWCG2	10W	5700K	300mm	Price on request
LM34930120V57UWCG2	10W	5700K	300mm	Price on request
LM34141120Y57UWCG2	15W	5700K	300mm	Price on request
LM34-93090T57UWCG2	15W	5700K	300mm	Price on request
LM34-93090+57UBCG2	20W	5700K	300mm	Price on request

• Also available in Black housing. (Refer page no.28)

NEW




Lino LED | LM21

High performance linear lighting with high transmittivity HET / UGR diffuser and bidirectional lighting option, made of extrusion aluminium housing and screwless built end cap.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM21-351-XXX-57-WX	20W	5700K	Price on request
LM21-501-XXX-57-WX	30W	5700K	Price on request
LM21-701-XXX-57-WX	40W	5700K	Price on request
LM21-102-XXX-57-WX	60W	5700K	Price on request
LM21-351XXX-57UGWX	20W	5700K	Price on request
LM21-501XXX-57UGWX	30W	5700K	Price on request
LM21-701XXX-57UGWX	40W	5700K	Price on request
LM21-102XXX-57UGWX	60W	5700K	Price on request

- Also available in 4000K CCT, Up-down lights (70%-30%) continuous variant, DALI dimmable, and black colour housing option. Order suspension separately.
- (Mentioned in suspensions section on page number 29)

NEW



Lino Louvre | LM21

High performance linear lighting with white cross louvres and bidirectional illumination, made of extrusion aluminium housing and screwless built end cap.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM21-501-XXX-57-ELWX	30W	5700K	Price on request
LM21-102-XXX-57-ELWX	60W	5700K	Price on request

- Also available in 4000K CCT, Up-down lights (70%-30%) continuous variant, DALI dimmable, and black colour housing option. Order suspension separately.
- (Mentioned in suspensions section on page number 29)



Aslimline | LM77

Slimmest suspended luminaire with efficient LEDs and edge-lit optics for contemporary workspaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM77-441-XXX-57-V1	32W	5700K	₹ 13,650
LM77-441-XXX-57UGV1	32W	5700K	₹ 16,081

- Also available in 4000K CCT. Depth: 15mm, Width: 122mm, Order suspension separately.
- (Mentioned in suspensions section on page number 29)




Aslimline-X | LM77

Slimmest suspended luminaire with efficient LEDs and edge-lit optics for contemporary workspaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM77-521-XXX-57-V1	32W	5700K	₹ 17,050
LM77-521-XXX-57UGV1	32W	5700K	₹ 18,250

- Also available in 4000K CCT. Depth: 15mm, Width: 180mm, Order suspension separately.
- (Mentioned in suspensions section on page number 29)



On-Air | LM44

Sleek and seamless linear with low glare bi-directional light distribution blends well with the modern office architectural designs. Option of UGR diffuser available.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM44-501-XXX-57-WX	30W	5700K	₹ 23,250
LM44-501-XXX57UGWX	30W	5700K	₹ 25,150
LM44-701-XXX-57-WX	38W	5700K	₹ 23,450



Lineos | LM31

Linear suspended luminaire, housing made of extruded aluminium with a satin finish PMMA diffuser for standalone and seamless end to end connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM31-211-XXX-57WG1	20W	5700K	1200	₹ 7,650
LM31-211XXX-57WCG1	20W	5700K	1200	₹ 7,750
LM31-401-XXX-57WG1	30W	5700K	1200	₹ 8,150
LM31-401XXX-57WCG1	30W	5700K	1200	₹ 8,250
LM31-421-XXX-57WG1	40W	5700K	2400	₹ 14,550
LM31-421XXX-57WCG1	40W	5700K	2400	₹ 14,690
LM31-801-XXX-57WG1	60W	5700K	2400	₹ 16,790
LM31-801XXX-57WCG1	60W	5700K	2400	₹ 16,950

- Also available in 4000K CCT, Analog/DALI dimmable, white colour tunable and black colour housing option, Order suspension separately.
- (Mentioned in suspensions section on page number 29)





Suspension for Stylus | LMX43

Universal suspension system with the quick onsite adjustment mounting with 2 nos. suspension from the ceiling.

Catalogue Reference No.	Description	LP ₹
LMX431	1.0 mtr. suspension suitable for installation on RCC ceiling	₹ 950
LMX432	1.0 mtr. suspension suitable for installation on modular grid, Prelude 24 mm ceiling system	₹ 1,050
LMX433	1.0 mtr. suspension suitable for installation on modular grid, Silhouette 15 mm ceiling system	₹ 1,450
LMX434	1.0 mtr. suspension suitable for installation on RCC ceiling	₹ 1,550
LMX435	1.0 mtr. suspension suitable for installation on modular grid, Prelude 24 mm ceiling system	₹ 1,050
LMX436	1.0 mtr. suspension suitable for installation on modular grid, Silhouette 15 mm ceiling system	650

Stylus Nodal suspension | LMX77

Catalogue Reference No.	Description	LP ₹
LMX774	1.0 mtr. suspension suitable for installation on RCC ceiling	₹ 850
LMX775	1.0 mtr. suspension suitable for installation on modular grid, Prelude 24 mm ceiling system	₹ 1,090
LMX776	1.0 mtr. suspension suitable for installation on modular grid, Silhouette 15 mm ceiling system	₹ 1,450



Suspension for Axeon | LMX34

Universal suspension system with the quick onsite adjustment: mounting with 2 nos. suspension from the ceiling.

Catalogue Reference No.	Description	LP ₹
LMX341	Suitable for installation on RCC ceiling	₹ 750
LMX342	Suitable for installation on modular grid Prelude 24mm Ceiling system	₹ 850
LMX343	Suitable for installation on modular grid Silhouette 15mm Ceiling system	₹ 850



Suspension for Lino and Lino Louvre | LMX21

Universal suspension system with the quick onsite adjustment

Catalogue Reference No.	Description	LP ₹
LMX212	1.5 mtr. suspension suitable for installation on RCC ceiling	₹ 750
LMX213	1.5 mtr. suspension suitable for installation on RCC ceiling	₹ 1,150



Suspension for Aslimline | LMX77

Universal suspension system with quick onsite adjustment: mounting with 2 nos. suspension from ceiling.

Catalogue Reference No.	Description	LP ₹
LMX771	Suitable for installation on RCC ceiling	₹ 750
LMX772	Suitable for installation on modular grid Armstrong Prelude Ceiling	₹ 1,150
LMX773	Suitable for installation on modular grid Armstrong Silhouette Ceiling	₹ 1,090



Suspension for Lineos | WVX86

Universal suspension system with quick onsite adjustment: mounting with 2 nos. suspension from ceiling.


Catalogue Reference No.	Description	LP ₹
WVX861	Suitable for installation on RCC ceiling	₹ 750
WVX862	Suitable for installation on modular grid Prelude 24mm Ceiling system	₹ 850
WVX863	Suitable for installation on modular grid Silhouette 15mm Ceiling system	₹ 850



X-RAIL

Modular lighting for modern workspace

Modular frame specially
design to fulfill scalable
application demands



Modular frame
with service
integrated facility



Design
with aesthetics/
clutter free look



Rearrangement
as per demand
precision




Flexibility
to select
and arrange


Can select downlight as per your choice




Mollis



Halo Plus





Vertica



Track light

Multiple rearrangements

Linear Arm 1500mm



Catalogue Reference No.	Sub Catalogue Reference No.	Description	Quantity	Suspension required (nos.)	Approx. Weight (Kg)	Case lot
LM66R-2424-4L4C-WH	LM66R-1500-WH	Linear 1500 mm arm	04	8	3.5	2
	LM66R-450-90L-WH	L corner 90°, 450mm	04	8	3	2



Comfort | LW04

Extruded aluminium housing with PMMA diffuser offers personalized bidirectional up & downlight for pleasant and soothing light experience for enhanced well-being.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LW04-411-XXX-57-XX	31W	5700K	₹ 15,190
LW04-411-XXX-57-WS	31W	5700K	₹ 15,650



Downlights Section

Commercial Interiors

Stunning visual experiences adding vibrancy to indoor spaces



Mollis | LD06

Mollis range with high performance and efficiency, adding options in flush/deep inset diffuser for volumetric lighting/visual comfort.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD06-670-XXX-57-XX*	6W	5700K	₹ 2,350
LD06-111-XXX-57-XX*	9W	5700K	₹ 2,490
LD06-151-XXX-57-XX*	12W	5700K	₹ 2,850
LD06-171-XXX-57-XX**	15W	5700K	₹ 3,050
LD06-221-XXX-57-XX**	18W	5700K	₹ 3,450
LD06-301-XXX-57-XX***	24W	5700K	₹ 5,550

- Also available in 4000K CCT, Analog/DALI dimmable, white colour tunable & black colour housing option.
- Cutout dimensions: *Ø 110 MM | **Ø145 MM | ***Ø168 MM



Mollis X | LD06

Mollis X with high performance and efficiency, deep inset diffuser for visual comfort, IP40.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD06X-670-XX-57-XX*	6W	5700K	₹ 2,590
LD06X-111-XX-57-XX*	9W	5700K	₹ 2,690
LD06X-151-XX-57-XX*	12W	5700K	₹ 3,090
LD06X-171-XX-57-XX**	15W	5700K	₹ 3,250
LD06X-221-XX-57-XX**	18W	5700K	₹ 3,650
LD06X-301-XX-57-XX***	24W	5700K	₹ 5,790

- Also available in 4000K CCT, Analog/DALI dimmable, white colour tunable & black colour housing option.
- Cutout dimensions: *Ø115 MM | **Ø150MM | ***Ø174MM



Mollis RF | LD06

Mollis RF with high performance and efficiency, flush diffuser for volumetric lighting, suitable for refurbishment projects. IP40.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD06-151-XXX-57-RF*	12W	5700K	₹ 3,290
LD06-171-XXX-57-RF*	15W	5700K	₹ 3,450
LD06-221-XXX-57-RF*	18W	5700K	₹ 3,550

- Also available in 4000K CCT, Analog/DALI dimmable, white colour tunable & black colour housing option.
- Cutout dimensions: *Ø168 MM



Mollis Surface | LD06

Surface mounted downlight with high performance and efficiency, adding flush diffuser for volumetric lighting.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD06-670XXX-57SMG1	6W	5700K	₹ 2,790
LD06-111XXX-57SMG1	9W	5700K	₹ 2,990
LD06-151XXX-57SMG1	12W	5700K	₹ 3,350
LD06-171XXX-57SMG1	15W	5700K	₹ 3,550
LD06-221XXX-57SMG1	18W	5700K	₹ 4,050
LD06-301XXX-57SMG1	24W	5700K	₹ 6,250

• All variants are available in 4000K CCT housing. To order, replace 57 with 40 in above catalogue no.



Helios | LD90

Recessed downlight with pressure die-cast aluminium housing for effective thermal management and high transmission factor PMMA diffuser for better performance.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD90-111-XXX-30-XX*	9W	3000K	₹ 1,850
LD90-141-XXX-30-XX*	12W	3000K	₹ 1,950
LD90-191-XXX-30-XX**	15W	3000K	₹ 2,050
LD90-231-XXX-30-XX***	18W	3000K	₹ 2,350
LD90-111-XXX-40-XX*	9W	4000K	₹ 1,850
LD90-141-XXX-40-XX*	12W	4000K	₹ 1,950
LD90-191-XXX-40-XX**	15W	4000K	₹ 2,050
LD90-231-XXX-40-XX***	18W	4000K	₹ 2,350
LD90-111-XXX-65-XX*	9W	6500K	₹ 1,850
LD90-141-XXX-65-XX*	12W	6500K	₹ 1,950
LD90-191-XXX-65-XX**	15W	6500K	₹ 2,050
LD90-231-XXX-65-XX***	18W	6500K	₹ 2,350

• Cutout dimensions: *Ø125 mm | **Ø145 mm | ***Ø165 mm. Also available in 4000K CCT.



Gimball | LD56

Recessed mounted LED COB downlighter with high efficacy. Housing made of extruded aluminium.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD56-251-060-40-XX*	20W	4000K	₹ 4,250
LD56-381-060-40-XX**	32W	4000K	₹ 5,050
LD56-501-060-40-XX***	41W	4000K	₹ 6,050

* Cutout dimensions: *Ø115 mm | **Ø135 mm | ***Ø154 mm. Also available in beam angles: 16°, 24°, 36°.



Gimball | LD58

Recessed mounted LED COB downlighter with high efficacy. Housing made of extruded aluminium.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD58-251-060-40-XX*	20W	4000K	₹ 4,690
LD58-381-060-40-XX**	32W	4000K	₹ 5,490
LD58-501-060-40-XX***	41W	4000K	₹ 7,290
LD58-521-060-40-XX	42W*	4000K	₹ 7,750

* Cutout dimensions: *95 mm x 95 mm | **135 mm x 135 mm | ***150 mm x 150 mm. Also available in beam angles: 16°, 24°, 36°.

*42W - Twin head

• Also Available in triple head options.




Track Light | LD54

High efficiency track light with reflector optics for optical excellence. Special track locking system to ensure proper mounting on track.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD54-251-024-57-XX	20W	5700K	₹ 5,990
LD54-351-024-57-XX	30W	5700K	₹ 6,650
LD54-501-024-57-XX	40W	5700K	₹ 7,650

- Available in 36°/ 60°, replace 24 with 36 / 60 in above catalogue no.
- In 3000k/4000k, replace 57 with 30 / 40 in above catalogue no.



Track Light | LD57

Track mounted LED COB luminaire with high efficacy. Housing made of extruded aluminium.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD57-251-024-40-XX	20W	4000K	₹ 5,990
LD57-381-024-40-XX	32W	4000K	₹ 6,650
LD57-501-024-40-XX	41W	4000K	₹ 7,650

- Also available in beam angles: 36°, 60°. Order suitable accessories as below.

Catalogue Reference No. (for LD54 and LD57)		LP ₹
XTS5100	Single phase 1 mtr track	₹ 1,390
XTS5200	Single phase 2 mtr track	₹ 2,750
XTS51	Straight connector	₹ 390
SKB520	2 mtr single suspension	₹ 750



Swivel Projector | LD59

Recessed mounted adjustable LED COB downlighter with high efficacy. Housing made of extruded aluminium.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD59-251-036-40-XX*	20W	4000K	₹ 5,650
LD59-381-036-40-XX**	32W	4000K	₹ 6,450
LD59-501-036-40-XX***	41W	4000K	₹ 8,250

- Cutout dimensions: *Ø110 mm | **Ø140 mm | *** Ø165 mm. Also available in beam angles: 16°, 24°, 60°.



*inForm*TM

Contemporary collaborative
suspended range

NEW



Orbit | LM230

Introducing unique element of a circle for collaborative and informal spaces to create an enigma of beauty.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM230-481-XX-57-XW	20W	5700K	400mm	Price on request
LM230-671-XX-57-XW	25W	5700K	600mm	Price on request
LM230-821-XX-57-XW	30W	5700K	800mm	Price on request
LM230-481-XX-57-XB	20W	5700K	400mm	Price on request
LM230-671-XX-57-XB	25W	5700K	600mm	Price on request
LM230-821-XX-57-XB	30W	5700K	800mm	Price on request
LM230-481-XX-57-UW	20W	5700K	400mm	Price on request
LM230-671-XX-57-UW	25W	5700K	600mm	Price on request
LM230-821-XX-57-UW	30W	5700K	800mm	Price on request
LM230-481-XX-57-UB	20W	5700K	400mm	Price on request
LM230-671-XX-57-UB	25W	5700K	600mm	Price on request
LM230-821-XX-57-UB	30W	5700K	800mm	Price on request

- XB/UB-Black Housing | XW/UW-White Housing Catalogue no ending with UW/UB confirms to low UGR.
- Also available in 4000K CCT.

NEW



Orbit Ring | LM230R

Introducing unique element of a circle for collaborative and informal spaces to create an enigma of beauty.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM230R-621-XX57-XW	35W	5700K	600mm	Price on request
LM230R-781-XX57-XW	40W	5700K	800mm	Price on request
LM230R-621-XX57-XB	35W	5700K	600mm	Price on request
LM230R-781-XX57-XB	40W	5700K	800mm	Price on request

- XB-Black Housing | XW-White Housing.
- Also available in 4000K CCT.

NEW



Hexa | LM23H

Introducing a unique element of a hexagon for collaborative and informal spaces to create an enigma of beauty.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM23H-621-XX-57-XW	25W	5700K	600mm	Price on request
LM23H-841-XX-57-XW	30W	5700K	800mm	Price on request
LM23H-621-XX-57-UW	35W	5700K	600mm	Price on request
LM23H-841-XX-57-UW	40W	5700K	800mm	Price on request
LM23H-621-XX-57-XB	25W	5700K	600mm	Price on request
LM23H-841-XX-57-XB	30W	5700K	800mm	Price on request
LM23H-621-XX-57-UB	35W	5700K	600mm	Price on request
LM23H-841-XX-57-UB	40W	5700K	800mm	Price on request

- XB/UB-Black Housing | XW/UW-White Housing Catalogue no ending with UW/UB confirms to low UGR.
- Also available in 4000K CCT.

NEW



Hexa Ring | LM23HR

Bring in an element of innovation and design with hexagonal rings of light in your space.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM23HR-601-XX57-XW	35W	5700K	600mm	Price on request
LM23HR-781-XX57-XW	40W	5700K	800mm	Price on request
LM23HR-601-XX57-XB	35W	5700K	600mm	Price on request
LM23HR-781-XX57-XB	40W	5700K	800mm	Price on request

- XB/-Black Housing | XW-White Housing.
- Also available in 4000K CCT.



NEW



Arc | LM48

Classical conical pendant in vibrant color housing.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM48-341-XXX-40-YL	30W	4000K	610mm	Price on request
LM48-341-XXX-40-BL	30W	4000K	610mm	Price on request
LM48-341-XXX-40-RD	30W	4000K	610mm	Price on request
LM48-341-XXX-40-WH	30W	4000K	610mm	Price on request
LM48-341-XXX-40-PR	30W	4000K	610mm	Price on request

• YL-Yellow Housing | BL-Black Housing | RD- Red Housing | PR- Purple housing | WH-White Housing.

NEW



Cone | LM45

Cone shape design for collaborative and informal spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM45-221-XXX-40-BL	20W	4000K	460mm	Price on request
LM45-221-XXX-40-RD	20W	4000K	460mm	Price on request
LM45-221-XXX-40-YL	20W	4000K	460mm	Price on request
LM45-221-XXX-40-WH	20W	4000K	460mm	Price on request
LM45-221-XXX-40-PR	20W	4000K	460mm	Price on request

• BL-Black Housing | RD- Red Housing | YL-Yellow Housing | WH-White Housing | PR- Purple housing.

NEW



T25 | LM68

Contemporary suspended linear for collaborative and informal spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length(mm)	LP ₹
LM68-341-XXX-40-BL	30W	4000K	1200mm	Price on request
LM68-341-XXX-40-YL	30W	4000K	1200mm	Price on request
LM68-341-XXX-40-OR	30W	4000K	1200mm	Price on request

• RD-Red Housing | YL-Yellow Housing | GR-Green housing.



Trio Mesh | LM46

Sophisticate mesh design for collaborative and informal spaces.

NEW

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM46-341-XXX-40-WH	30W	4000K	460mm	Price on request
LM46-341-XXX-40-BL	30W	4000K	460mm	Price on request

• BL-Black Housing | WH-White Housing.



Celeste | LM07

Large domes in greys and white, articulately crafted with textured finish and a soft floral contouring

NEW

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM07-221-D06-40-XX	20W	4000K	600mm	Price on request
LM07-221-D08-40-XX	20W	4000K	800mm	Price on request



Retro | LM55

A unique dome shaped suspended luminaire range to add innovative shapes and forms in collaborative spaces.

NEW

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM55-301-XXX-40-WH	30W	4000K	450mm	Price on request
LM55-301-XXX-40-BL	30W	4000K	450mm	Price on request
LM55-301-XXX-40-OR	30W	4000K	450mm	Price on request
LM55-301-XXX-40-PR	30W	4000K	450mm	Price on request
LM55-301-XXX-40-CY	30W	4000K	450mm	Price on request

• BL-Black Housing | WH-White Housing | OR-Orange Housing | PR-Purple Housing | CY-Cyan Housing.



Coral | LM56

A unique dome shaped suspended luminaire range to add innovative shapes and forms in collaborative spaces.

NEW

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM56-301-XXX-40-WH	30W	4000K	300mm	Price on request
LM56-301-XXX-40-BL	30W	4000K	300mm	Price on request
LM56-301-XXX-40-YL	30W	4000K	300mm	Price on request
LM56-301-XXX-40-PR	30W	4000K	300mm	Price on request
LM56-301-XXX-40-CY	30W	4000K	300mm	Price on request

• BL-Black Housing | WH-White Housing | YL- Yellow Housing | PR-Purple Housing | CY-Cyan Housing.



Ozone | LM57

A unique dome shaped suspended luminaire range to add innovative shapes and forms in collaborative spaces.

NEW

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM57-301-XXX-40-BL	30W	4000K	450mm	Price on request
LM57-301-XXX-40-WH	30W	4000K	450mm	Price on request
LM57-301-XXX-40-RD	30W	4000K	450mm	Price on request



Dome 600 | LM92

A unique dome shaped suspended luminaire range to add innovative shapes and forms in collaborative spaces.

NEW

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM92-461-XXX-40-WH	40W	4000K	600mm	Price on request
LM92-461-XXX-40-BL	40W	4000K	600mm	Price on request
LM92-461-XXX-40-RD	40W	4000K	600mm	Price on request
LM92-461-XXX-40-YE	40W	4000K	600mm	Price on request

• WH-White Housing | BL-Black Housing | RD-Red Housing | YE-Yellow Housing.

NEW

Globe | LM49

Globe design for collaborative and informal spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter(mm)	LP ₹
LM49-141-XXX-30-XX	12W	3000K	150mm	Price on request

NEW

Umeko | LM05

Fabric and colours... create the play you wish to have

Catalogue Reference No.	Light source	Diameter(mm)	LP ₹
LM05-D320-MC	LED Lamp	320mm	Price on request

NEW

Freya | LM06

A knitted jute in contrast with the contemporary office interiors... how would you like to play the textures?

Catalogue Reference No.	Light source	Diameter(mm)	LP ₹
LM06-D450-BR	LED Lamp	450mm	Price on request
LM06-D600-BR	LED Lamp	600mm	Price on request



Sphere | LM84

The Elegantly designed suspended luminaire range with easy to install light source (E27 Lamp holder) has uncompromising and unparalleled design ethos.

Catalogue Reference No.	Light source	Diameter(mm)	LP ₹
LM84-D300-CRWH	LED Lamp	300mm	Price on request

*Lamp of E27 base has to be ordered separately.



Semisphere | LM85

The Elegantly designed suspended luminaire range with easy to install light source (E27 Lamp holder) has uncompromising and unparalleled design ethos.

Catalogue Reference No.	Light source	Diameter(mm)	LP ₹
LM85-D300-WHST	LED Lamp	300mm	Price on request

*Lamp of E27 base has to be ordered separately.



Dome | LM86

Elegantly designed suspended luminaire range with easy to install light source (E27 Lamp holder) has uncompromising and unparalleled design ethos.

Catalogue Reference No.	Light source	Diameter(mm)	LP ₹
LM86-D400-BLGD	LED Lamp	400mm	Price on request

*Lamp of E27 base has to be ordered separately.



Teardrop | LM87

Elegantly designed suspended luminaire range with easy to install light source (E27 Lamp holder) has uncompromising and unparalleled design ethos.

Catalogue Reference No.	Light source	Diameter(mm)	LP ₹
LM87-D320-BLGD	LED Lamp	320mm	Price on request

*Lamp of E27 base has to be ordered separately.



Hexadome | LM88

Elegantly designed suspended luminaire range with easy to install light source (E27 Lamp holder) has uncompromising and unparalleled design ethos.

Catalogue Reference No.	Light source	Diameter(mm)	LP ₹
LM88-D570-BLGD	LED Lamp	570mm	Price on request

*Lamp of E27 base has to be ordered separately.



Vertica | LD30

A premium lighting solution for open ceiling offices to create lighting effects that enrich such spaces. It adds glamour to collaborative spaces in new age offices.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	Diameter(mm)	LP ₹
LD30-201-36W-40-PL	20W	4000K	330mm	74mm	Price on request
LD30-301-36W-40-PL	30W	4000K	330mm	96mm	Price on request
LD30-20136W40ATPL	20W	4000K	340mm	74mm	Price on request
LD30-30136W40ATPL	30W	4000K	340mm	96mm	Price on request
LD30-20136W40CTSPL	20W	4000K	330mm	74mm	Price on request
LD30-30136W40CTSPL	30W	4000K	330mm	96mm	Price on request
LD30-101-36W-40-PS	10W	4000K	150mm	54mm	Price on request
LD30-201-36W-40-PS	20W	4000K	165mm	74mm	Price on request
LD30-301-36W-40-PS	30W	4000K	185mm	96mm	Price on request
LD30-10136W40ATPS	10W	4000K	160mm	54mm	Price on request
LD30-20136W40ATPS	20W	4000K	175mm	74mm	Price on request
LD30-30136W40ATPS	30W	4000K	195mm	96mm	Price on request
LD30-10136W40CTSPS	10W	4000K	150mm	54mm	Price on request
LD30-20136W40CTSPS	20W	4000K	165mm	74mm	Price on request
LD30-30136W40CTSPS	30W	4000K	185mm	96mm	Price on request
LD30-101-36W-40-SS	10W	4000K	150mm	54mm	Price on request
LD30-201-36W-40-SS	20W	4000K	165mm	74mm	Price on request
LD30-301-36W-40-SS	30W	4000K	185mm	96mm	Price on request
LD30-10136W40ATSS	10W	4000K	160mm	54mm	Price on request
LD30-20136W40ATSS	20W	4000K	175mm	74mm	Price on request
LD30-30136W40ATSS	30W	4000K	195mm	96mm	Price on request
LD30-10136W40CTSSS	10W	4000K	150mm	54mm	Price on request
LD30-20136W40CTSSS	20W	4000K	165mm	74mm	Price on request
LD30-30136W40CTSSS	30W	4000K	185mm	96mm	Price on request

- All variants are available in 60° beam angle. To order, replace 36 with 60 in above catalogue no. Also all variants are available in black housing.
- To order, replace W with B in above catalogue no.
- PL: Pendant Long | PS: Pendant Short | SS: Surface mount | AT: Acrylic Trim | CTS: Silver color trim.



Halo Plus | LD99

Suspended/surface mounted unique tapered profile product on aesthetics and performance. Housing with micro-texture powder coating.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD99-151-XXX57SMWH	12W	5700K	₹ 3,950
LD99-211-XXX57SMWH	15W	5700K	₹ 4,150
LD99-281-XXX57SMWH	18W	5700K	₹ 4,490
LD99-151-XXX57SMBL	12W	5700K	₹ 3,950
LD99-211-XXX57SMBL	15W	5700K	₹ 4,150
LD99-281-XXX57SMBL	18W	5700K	₹ 4,490
LD99-151-XXX57PMWH	12W	5700K	₹ 4,390
LD99-211-XXX57PMWH	15W	5700K	₹ 4,590
LD99-281-XXX57PMWH	18W	5700K	₹ 4,850
LD99-151-XXX57PMBL	12W	5700K	₹ 4,390
LD99-211-XXX57PMBL	15W	5700K	₹ 4,590
LD99-281-XXX57PMBL	18W	5700K	₹ 4,850

• Analog/DALI dimmable and white colour tunable. Also available in 4000K CCT.

• SM - Surface mount | PM - Pendant mount | WH - White housing | BL - Black housing.





inSync™

[MIND + BODY + LIGHT]

Wipro's human centric
lighting solutions

Transform workspaces from
constant to dynamic lighting

Enhance employee
wellbeing and productivity

Work with multiple platforms
PoE, DALI or Bluetooth



Workplaces are becoming agile and smarter. Personalized user control, actionable Insights into space optimization, way finding, hot desking and meeting room bookings are some of the outcomes being looked at. In addition to this modulation of color of light - impacting circadian rhythm & wellness of the employees are gaining popularity.

The **WELL Building Standard™ (WELL)** provides guidelines that minimize disruption to the body's circadian system, enhance productivity, support good sleep quality and provide appropriate visual acuity. In line with these, Wipro Lighting has developed enhanced focus on **inSync™** - our **human centric lighting solution** intended to promote a person's well-being, mood and health. It can improve concentration, safety and efficiency in workplaces or educational environments.

By changing color of light and/or intensity of light, we provide bio-dynamic light based on human circadian rhythm for increased employee concentration, cognitive performance, alertness and in general well-being.



Opus | LM38 (in white colour tunable)

Opus is high efficiency, elegant, fluidic & modern in design LED luminaire with unique floating spherical diffuser and surrounding light chamber that subtly introduces a circular geometry into the ceiling plane.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM38-361-XXX-2765	32W	Tunable: 2700-6500K	Price on request

• Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.



Mollis | LD06

Mollis range with high performance and efficiency, adding options in flush/deep inset diffuser for volumetric lighting/visual comfort.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD06-301-XXX-2765	24W	Tunable: 2700-6500K	Price on request



Verge | LM29 (in white colour tunable)

Our high efficiency recess mounted luminaire with its minimalistic design integrates into the ceiling creating a unique volumetric lighting experience.



Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM29-451-XXX-2765	33W	Tunable: 2700-6500K	Price on request

• Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.



Immaculate Plus | CRC010 (in white colour tunable)

High efficient luminaire with 120 Lm/W efficacy helps in power saving and cost saving.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRC010R036HP2765	33W	Tunable: 2700-6500K	Price on request

• Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.



Axeon | LM34 (in white colour tunable) (Bidirectional: Up & Down)

Suspended linear light solutions for contemporary workspaces. Extruded aluminium housing with high transmittivity HET diffuser for standalone and seamless end to end connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM34-361-XXX-2765	29W	Tunable: 2700-6500K	1200	Price on request
LM34-721-XXX-2765	58W	Tunable: 2700-6500K	1200	Price on request

• Available in 4 feet and 8 feet variants.



Axeon | LM34 (in white colour tunable) (Unidirectional: Down)

Suspended linear light solutions for contemporary workspaces. Extruded aluminium housing with high transmittivity HET diffuser for standalone and seamless end to end connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM34-251-XXX-2765	20W	Tunable: 2700-6500K	1200	Price on request
LM34-501-XXX-2765	40W	Tunable: 2700-6500K	1200	Price on request

• Available in 4 feet and 8 feet variants.



inSync™ Touch Panel

Scene select for customised scene +dimming + colour tuning options and ON/OFF.

Catalogue Reference No.	Description	LP ₹
192GW+290W+402 (White colour)	Dimming + Colour Tuning + Scene Select	Price on request
192GB+290B+402 (Black colour)	Dimming + Colour Tuning + Scene Select	Price on request
191GW+290W+402 (White colour)	Dimming + Scene Select	Price on request
191GB+290B+402 (Black colour)	Dimming + Scene Select	Price on request

A modern office interior with multiple desks, each equipped with a computer monitor and a green office chair. The room features large windows on the left side, providing a view of a cityscape. The ceiling is white with recessed lighting fixtures and a large, perforated acoustic panel. Dotted white lines are overlaid on the ceiling, suggesting a grid or layout. A teal circular graphic is positioned in the lower-left foreground, containing the text.

Lighting Controls

Smart occupancy
touchless workspace



eSense Group Light sensor- Smart PIR Occupancy Sensor

Catalogue Reference No.	Mount	LP ₹
GLPS01R010A	Recess	₹ 5,050
GLPS01S010A	Surface	₹ 5,550
GLPS01P010A	Pendent	₹ 5,950

Smart PIR occupancy detector with Switching Photocell

Catalogue Reference No.	Mount	LP ₹
GLPS02R010A	Recess	₹ 6,250
GLPS02S010A	Surface	₹ 6,690
GLPS02P010A	Pendent	₹ 6,950

Smart Daylight PIR occupancy detector, with DALI output

Catalogue Reference No.	Mount	LP ₹
GLPSDA01R010A	Recess	₹ 7,990
GLPSDA01S010A	Surface	₹ 8,350
GLPSDA01P010A	Pendent	₹ 8,550

Smart Daylight PIR occupancy detector, with ANALOG output

Catalogue Reference No.	Mount	LP ₹
GLPSAN01R010A	Recess	₹ 8,150
GLPSAN01S010A	Surface	₹ 8,450
GLPSAN01P010A	Pendent	₹ 8,650

• Ordering remote for group light sensors is mandatory.



IR Remote

Catalogue Reference No.	LP ₹
GLPS-IR-REM01	₹ 750



eSense Wall Mount Light sensor- Smart PIR Occupancy Sensor

Catalogue Reference No.

Mount

LP ₹

WMPS01R010A

Recess

Price on request

Wall mounted occupancy detector with Switching Photocell

Catalogue Reference No.

LP ₹

WMPS02R010A

Price on request

Wall mounted PIR occupancy detector with DALI output

Catalogue Reference No.

LP ₹

WMPSDA01R010A

Price on request

Wall mounted PIR occupancy detector with ANALOG output

Catalogue Reference No.

LP ₹

WMPSAN01R010A

Price on request







A one-stop solution for employers to ensure a healthy and safe working environment for their employees. This software is designed to enable flexibility and maximize the utilization of office space for employees.

Organizations need to align schedules and working patterns of employees and their teams. Employees need to be confident about working safely. They need to have prior information about the spaces they access as well as availability of conference rooms for conducting meetings. Keeping employees informed real-time and ensuring they are evenly spread in the office is essential.





With Office Shifts technology organizing teams together, anticipating and updating office capacity quickly, is simply hassle-free. The software is available as a subscription-based model (SaaS). It can be scaled and upgraded depending on the policy changes organizations need to make.





ULTRARAY™

Disinfect | Sterilize | Decontaminate

Protection Powered
with high germicidal
ultra violet light

Applications:



Hospitality



Modern
Workspaces




Healthcare
Facilities



Manufacturing
& Warehousing

Protect employee health & wellness in workplaces
Wipro Lighting brings to you ULTRARAY™ - UltraViolet (UV) Lighting Solution to help you disinfect your workplaces and assure you a complete peace of mind.



A solution that can compliment the current protection measures deployed to disinfect the workplace more effectively and protect employee health & safety.



UV lights that disinfects air & surfaces

Bacteria & Virus can remain airborne for long period. With limited or no ventilation this infected air gets re-circulated multiple times in an indoor workplace.

In the new normal, disinfection of frequently touched places & objects is a major concern. UV light is the latest and most effective technology to prevent spread of infections due to bacteria and viruses by disinfecting surfaces.



Cleanroom & Sterile Areas

Lighting solutions to facilitate perfect vision for ZERO error zones.

Cleanroom & Sterile Areas

Lighting in the zero containment zone plays a very important role to get a better output.

With over 25+ years of experience in lighting & being the pioneer of lighting for cleanroom facilities in India, Vision LED range of cleanroom luminaires have been developed with thorough understanding of the application & its requirements.

Developed keeping in mind the varied requirements of cleanroom application, Vision BOCR & TOCR are developed in multiple variants of mounting, construction and material used.

It has successfully illuminated majority of the cleanroom facilities across pharmaceutical, food & beverages, electronics and semi-conductor industries across the country.



Vision LED BOCR | LC20

Recess mounted, bottom opening cleanroom LED luminaire.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LC20-191-XXX-57-G2*	20W	5700K	₹ 6,350
LC20-411-XXX-57-G2**	30W	5700K	₹ 8,950
LC20-551-XXX-57-G2***	42W	5700K	₹ 9,990
LC20-721-XXX-57-G2***	60W	5700K	₹ 11,850

* Cutout Dimensions *285mm x 285mm ** 495mm x 495mm *** 585mm x 585mm

• Also available in dimming, surface mounting, screwless construction, stainless steel bottom frame, dual CCT & monochromatic.



Vision LED TOCR | LC30

Recess mounted, top opening cleanroom luminaire. Specially designed self alignment mounting mechanism, equipped with pressure plates.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LC30-411-XXX-57-G1	30W	5700K	₹ 11,050
LC30-551-XXX-57-G1	42W	5700K	₹ 11,350
LC30-721-XXX-57-G1	60W	5700K	₹ 13,950
LC30-102-XXX-57-G1*	78W	5700K	₹ 16,650
TFTC100			₹ 4,550

• Top frame & top cover (TFTC) to be ordered separately. *Cutout dimensions: 600 mm x 600 mm.

• Also available in dimmable, stainless steel bottom frame, dual CCT & monochromatic.



A wide-angle photograph of a modern industrial manufacturing plant. The scene is filled with yellow overhead cranes and complex machinery. In the foreground, a worker in a maroon jacket and grey pants is working on a large, dark, curved component. In the background, another worker is visible near a large, white, box-like structure on a yellow platform. The ceiling is high with numerous bright, rectangular lights. The floor is concrete with metal tracks and supports.

Manufacturing Plants & Industries

Enhanced productivity and
safety with reduced
Total Cost of Ownership

Manufacturing Plants & Industries

Labor safety and high productivity is of utmost importance when it comes to industrial lighting.

The heavy-duty work carried out in industries requires lighting solutions that are ergonomic, efficient and economic in nature.

Wipro's best-in-class industrial lighting solutions are specifically designed to deliver high light output with low energy consumption. This results in enhanced employee productivity, building positivity and promoting workplace safety with reduced Total Cost of Ownership (TCO).



Radial UNO | LH21

Designed to deliver optimum performance under harsh industrial environments to provide significant & sustained energy savings over the product life cycle resulting in enhanced productivity & safety.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LH21-122-060-57-XX	80W	5700K	₹ 17,750
LH21-162-060-57-XX	100W	5700K	₹ 22,190
LH21-192-060-57-XX	120W	5700K	₹ 24,250
LH21-222-060-57-XX	140W	5700K	₹ 26,350
LH21-262-060-57-XX	160W	5700K	₹ 33,250
LH21-292-060-57-XX	180W	5700K	₹ 35,150
LH21-322-060-57-XX	200W	5700K	₹ 36,050
LH21G-122-60-57-XX	80W	5700K	₹ 19,450
LH21G-162-60-57-XX	100W	5700K	₹ 24,390
LH21G-192-60-57-XX	120W	5700K	₹ 26,650
LH21G-222-60-57-XX	140W	5700K	₹ 28,950
LH21G-262-60-57-XX	160W	5700K	₹ 36,350
LH21G-292-60-57-XX	180W	5700K	₹ 38,450
LH21G-322-60-57-XX	200W	5700K	₹ 39,350
LH21R-122-60-57-XX	80W	5700K	₹ 21,250
LH21R-162-60-57-XX	100W	5700K	₹ 26,650
LH21R-192-60-57-XX	120W	5700K	₹ 28,950

• Also available in 90° beam angle, LH21G - with toughened glass, LH21R - with reflexcor.





Radial Square | LH20

High lumen output, SMD LED highbay with innovatively designed aluminium heat sink for excellent thermal management.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LH20-102-060-57-XX	80W	5700K	₹ 16,090
LH20-122-060-57-XX	100W	5700K	₹ 20,190
LH20-132-060-57-XX	120W	5700K	₹ 22,050
LH20-172-060-57-XX	140W	5700K	₹ 23,990
LH20-192-060-57-XX	150W	5700K	₹ 26,990
LH20-202-060-57-XX	165W	5700K	₹ 30,250
LH20-212-060-57-XX	180W	5700K	₹ 31,350
LH20-272-060-57-XX	200W	5700K	₹ 32,390

• Also available in 90° beam angle.



Xpressbay - Linear Highbay | LH15

Aluminium extruded linear highbay an ideal solution for refurbishment linear, conventional industrial fixtures.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LH15-102-060-57-XX	75W	5700K	₹ 18,890
LH15-142-060-57-XX	100W	5700K	₹ 24,850
LH15-182-060-57-XX	130W	5700K	₹ 33,390
LH15-282-060-57-XX	200W	5700K	₹ 49,690

• Also available in 90° beam angle.



Canopy | LH18

Recess mounted under canopy for oil retails.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LH18-102-060-57-XX	80W	5700K	₹ 11,990



Xline Pro | LE14

Trunk mounted LED channel, specially designed extruded aluminium trunk with snap fit arrangement for easy and flexible installation.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LE14-491-XXX-57-XX	39W	5700K	₹ 8,550

• Order trunk separately.



Trunk for Xline Pro | LE14

Pre-wired aluminum trunk with suspension.

Catalogue Reference No.	Length	LP ₹
LE14A02C	1.77 Mtr	₹ 2,790



Xline Neo | LE10

High performance industrial channel.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LE10-491-XXX-57-XX	39W	5700K	₹ 4,590

NEW

Optima | LL24

Technical linear industrial batten with high efficacy for modern high-tech industrial environment.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LL24-541-XXX-57-XX	40W	5700K	₹ 2,490
LL24-541-XXX-57-CD	40W	5700K	₹ 2,590
LL24R-541-XX-57-XX	40W	5700K	₹ 3,750
LL24R-541-XX-57-CD	40W	5700K	₹ 3,890
LL24-251-XXX-57-XX	20W	5700K	₹ 2,390
LL24-251-XXX-57-CD	20W	5700K	₹ 2,490
LL24R-251-XX-57-XX	20W	5700K	₹ 3,550
LL24R-251-XX-57-CD	20W	5700K	₹ 3,690
LL24-251-XXX-57-2F	20W	5700K	₹ 2,250
LL24-251-XXX57-CD2F	20W	5700K	₹ 2,350
LL24R-251-XX-57-2F	20W	5700K	₹ 2,490
LL24R-251-XXX57-CD2F	20W	5700K	₹ 2,590

• Order in CD code for conduit mounting; LL24R for with reflector; 2F for 2 feet.



Dura Wellglass | LE07

High performance durable IP66 luminaire.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LE07-501-XXX-57-XX	35W	5700K	₹ 4,590
LE07-112-XXX-57-XX	70W	5700K	₹ 8,650



Bulkhead | LW07

IP65 luminaire for surface/wall mounted applications.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LW07-141-XXX-57-G1	10W	5700K	₹ 1,990

NEW



Imperia | LE23

Surface/Pendant mounted IP65 linear luminaire.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LE23-251-XXX-57-XX	20W	5700K	₹ 5,650
LE23-251-XXX-57-2F*	20W	5700K	₹ 3,350
LE23-491-XXX-57-XX	40W	5700K	₹ 5,790

* Length: *:2ft.



Capsule | LE20

Surface/Pendant mounted totally enclosed LED luminaire.
Ingress Protection: IP66.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LE20-491-XXX-57-G1	40W	5700K	₹ 5,790



Capsule | WI083

Surface/Pendant mounted IP65 linear luminaire.

Catalogue Reference No.	Wattage (W)	LP ₹
WI0831208G1	1x20W LED Tube T8	₹ 2,350
WI0832208G1	2x20W LED Tube T8	₹ 2,550

* Suitable to use with LED tubes. LED lamps to be ordered separately.



Outdoor Lighting

Streetlights, Floodlights and
Landscape lighting range

Outdoor Lighting

Modern lifestyle has impacted our schedules stretching their way into midnight. This has increased the need for illuminating outdoor spaces uniformly and efficiently.

Wipro Lighting provides a vast range of outdoor lighting luminaires with special features, particularly designed to meet wide ranging lighting needs.

The precision optical design and uniform light distribution to enhance safety on roads.

Our luminaires have advanced LED technology for higher energy savings with contemporary styling that blends with urban architecture.

Street Lighting

For public comfort and safety



Skyline | LR02

High performance IP66 LED Streetlight, housing made of die-cast aluminium, with street optic LENS for uniform light distribution.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR02-261-XXX-57-XX	20W	5700K	₹ 3,050
LR02-291-XXX-57-XX	25W	5700K	₹ 3,450
LR02-331-XXX-57-XX	30W	5700K	₹ 3,850
LR02-451-XXX-57-G1	40W	5700K	₹ 6,950
LR02-501-XXX-57-G1	45W	5700K	₹ 7,290



Skyline | LR02

High performance LED streetlight, contemporary designed housing made of die-cast aluminium, with street optic lens for uniform light distribution. Rated IP66.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR02-671-XXX-57-G3	60W	5700K	₹ 9,650
LR02-781-XXX-57-G3	70W	5700K	₹ 10,090
LR02-981-XXX-57-G2	80W	5700K	₹ 10,590
LR02-901-XXX-57-JD	90W	5700K	₹ 11,890
LR02-112-XXX-57-G2	100W	5700K	₹ 12,550
LR02-122-XXX-57-G2	110W	5700K	₹ 13,590
LR02-132-XXX-57-G2	120W	5700K	₹ 14,450
LR02-182-XXX-57-G2	150W	5700K	₹ 25,490
LR02-212-XXX-57-G2	180W	5700K	₹ 26,790
LR02-242-XXX-57-G2	200W	5700K	₹ 28,090
LR02-262-XXX-57-G2	220W	5700K	₹ 31,690
LR02-292-XXX-57-G2	250W	5700K	₹ 33,850



Skyline+ | LR06

IP66 streetlight with compact and aesthetic aluminium powder coated housing with fresnel diffuser.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR06-241-XXX-57-XX	18W	5700K	₹ 2,690
LR06-311-XXX-57-XX	25W	5700K	₹ 2,950

NEW

Skyline+ | LR06

IP66 streetlight with compact and aesthetic aluminium powder coated housing with fresnel diffuser.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR06-501-XXX-57-XX	35W	5700K	₹ 4,090
LR06-611-XXX-57-XX	45W	5700K	₹ 4,550

NEW

Skyline+ | LR06

IP66 streetlight with compact and aesthetic aluminium powder coated housing with fresnel diffuser.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR06-981-XXX-57-XX	80W	5700K	₹ 7,990
LR06-102-XXX-57-XX	90W	5700K	₹ 8,650
LR06-112-XXX-57-XX	100W	5700K	₹ 9,290



Skyline+ | LR13

IP66 streetlight with compact and aesthetic aluminium powder coated housing with fresnel diffuser.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR13-671-XXX-57-XX	60W	5700K	₹ 6,290
LR13-781-XXX-57-XX	70W	5700K	₹ 6,990

Area Lighting

Uniform illumination
in large public spaces



Alpha Floodlight | LF19

IP66 luminaire with aluminium die-cast housing, toughened glass and unique lens system for enhanced illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF19-711-060-57-XX	60W	5700K	₹ 9,250
LF19-931-060-57-XX	80W	5700K	₹ 12,490



Alpha Floodlight | LF34

IP66 luminaire with aluminium die-cast housing, toughened glass and unique lens system for enhanced illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF34-132-060-57-XX	120W	5700K	₹ 17,050



Alpha Floodlight | LF20

IP66 luminaire with aluminium die-cast housing, toughened glass and unique lens system for enhanced illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF20-122-060-57-G2	100W	5700K	₹ 14,890
LF20-192-060-57-BS	150W	5700K	₹ 22,150
LF20-392-060-57-G3	300W	5700K	₹ 41,150
LF20-442-060-57-G2	350W	5700K	₹ 51,890
LF20-502-060-57-G4	400W	5700K	₹ 55,890
LF20-622-060-57-G3	500W	5700K	₹ 62,990



Ranger | LF30

IP66 luminaire with aluminium die-cast housing, toughened glass and unique lens system for enhanced illumination.

NEW

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF30-272-060-57-XX	200W	5700K	₹ 30,050
LF30-342-060-57-G1	250W	5700K	₹ 38,650
LF30-392-060-57-XX	300W	5700K	₹ 41,150
LF30-442-060-57-XX	350W	5700K	₹ 51,890



Landscape Lighting

Contemporary design and lighting solutions for vibrant outdoors



Urbano Pathway | LP06

Pressure die cast aluminium housing with specially designed optics provide uniform light distribution to redefine outdoor and enhance architectural design.

Catalogue Reference No.

Wattage (W)

CCT (K)

LP ₹

LP06-351-XXX-57-XX

35W

5700K

₹ 33,650



Post Top | LP07

Pure polyester UV resistant powder coated die cast aluminium housing with PMMA clear diffuser for uniform illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LP07-251-XXX-57-CL	20W	5700K	₹ 7,450
LP07-431-XXX-57-CL	35W	5700K	₹ 8,850
LP07-501-XXX-57-CL	45W	5700K	₹ 12,190
LP07-671-XXX-40-CL	60W	5700K	₹ 17,450



Post Top LED | LP02

Pure polyester UV resistant powder coated die cast aluminium housing with PMMA clear diffuser for uniform illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LP02-501-XXX-57-XX	45W	5700K	₹ 15,190



Whistling Oyster | LB12

Path directional reflector with PC diffuser and extruded aluminium powder coated bollard provide uniform illumination for pathways. Sound module is also available as an option to enlightening surrounding with musical notes.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LB12-880-XXX-65-05	7W	6500K	₹ 8,550
LB12-880-XXX-65-08	7W	6500K	₹ 8,750
LB12-880-SPK-65-08	7W	6500K	₹ 19,890
LB12-131-XXX-65-05	11W	6500K	₹ 8,690
LB12-131-XXX-65-08	11W	6500K	₹ 8,950
LB12-131-SPK-65-08	11W	6500K	₹ 20,090

- Catalogue no. bearing "SPK" is with speaker option.
- Option of 3000K CCT is available.
- Catalogue no. ends with 05 - Height 500mm; 08 - 800mm.



Whistling J | LB13

Whistling J is premium LED bollard, with optically designed reflector and indirect-direct, downward directional, high performance, smartly designed asymmetric lighting for landscapes.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LB13-880-XXX-65-05	7W	6500K	₹ 8,550
LB13-880-XXX-65-08	7W	6500K	₹ 8,750
LB13-880-SPK-65-08	7W	6500K	₹ 19,890
LB13-131-XXX-65-05	11W	6500K	₹ 8,690
LB13-131-XXX-65-08	11W	6500K	₹ 8,950
LB13-131-SPK-65-08	11W	6500K	₹ 20,090

- Catalogue no. bearing "SPK" is with speaker option.
- Option of 3000K CCT is available.
- Catalogue no. ends with 05 - Height 500mm; 08 - 800mm.



Fantasy Bollard | LB14

Bollard made of extruded aluminium housing to redefine landscapes with better light quality and enhance architectural design. Rated IP65.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LB14-880-XXX-65-05	7W	6500K	₹ 8,090
LB14-880-XXX-65-08	7W	6500K	₹ 8,190
LB14-131-XXX-65-05	11W	6500K	₹ 8,590
LB14-131-XXX-65-08	11W	6500K	₹ 8,690

- Option of 3000K CCT is available.



Gardenia | LF05

Compact and aesthetic polyester coated aluminium housed in ground/bushlight offers safe and vibrant parking area, pathways and gardens with high illumination and soothing experience.


Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF05-450-036-27-XX	6W	2700K	₹ 6,790
LF05-600-036-27-XX	8W	2700K	₹ 6,950

- Also Available in 24° and 55° beam angles.



Arcus

Premium outdoor
architectural lighting
solution



ARCUS Linear Wall Washer | LF01

Extruded aluminium powder coated IP66 linear wall washer to accentuate the artwork on entrances and walls.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF01-181-030-30-05	20W	3000K	Price on request
LF01-361-030-30-10	40W	3000K	Price on request

* Driver to be ordered separately; Replace 30 with 60 in the above catalogue nos. for 6000K CCT.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF01-181-030-CC-05	20W	RGB	Price on request
LF01-361-030-CC-10	40W	RGB	Price on request

* Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories
 * Colour changing luminaires have to be with DMX controller.



ARCUS Linear Light Bar | LF03

Extruded aluminium powder coating IP66 linear light bar enlightens the wall grazing applicable area with bright and soothing light distribution.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF03-601-XXX-30-05	9W	3000K	Price on request
LF03-601-XXX-60-05	9W	6000K	Price on request
LF03-121-XXX-30-10	17W	3000K	Price on request
LF03-121-XXX-60-10	17W	6000K	Price on request

* Driver to be ordered separately.



ARCUS Flexi Strip Light | LS27

Flexible frosted encapsulated IP68 strip light with homogeneous and light spot free illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LS27-005-120-WW-50	10W/mtr	3000K	Price on request

- *Driver to be ordered separately. Length of the spool: 4 meter.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LS27-005-120-CC-50	10W/mtr	RGB	Price on request

- *Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
- Colour changing luminaires have to be with DMX controller.



ARCUS Floodlight- Mini | LF04

Aluminium die cast housing with high purity lens offers facade lighting with superior performance and glare free light distribution enhancing accent lighting.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF04-181-030-30-XX	12W	3000K	Price on request
LF04-251-030-30-XX	20W	3000K	Price on request
LF04-501-030-30-XX	40W	3000K	Price on request

- *Driver to be ordered separately; Replace 30 with 60 in the above catalogue nos. for 6000K CCT.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF04-181-030-CC-XX	12W	RGB	Price on request
LF04-251-030-CC-XX	20W	RGB	Price on request
LF04-501-030-CC-XX	40W	RGB	Price on request

- *Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
- Colour changing luminaires have to be with DMX controller.



ARCUS Inground Light | LI20

Aluminium die cast light with high purity lens for illuminating pathways enhancing the safe and vibrant area.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LI20-600-030-30-XX	6W	3000K	Price on request
LI20-111-030-30-XX	12W	3000K	Price on request
LI20-231-030-30-XX	18W	3000K	Price on request

*Driver to be ordered separately; Replace 30 with 60 in the above catalogue nos. for 6000K CCT.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LI20-600-030-CC-XX	6W	RGB	Price on request
LI20-111-030-CC-XX	12W	RGB	Price on request
LI20-231-030-CC-XX	18W	RGB	Price on request

*Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
 • Colour changing luminaires have to be with DMX controller.



ARCUS Under Water Light | LU03

Hard chrome plated stainless steel with silicon sealed glass offers colourful illumination for waterbody in architectural and landscape area.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LU03-950-030-30-XX	6W	3000K	Price on request
LU03-211-030-30-XX	18W	3000K	Price on request
LU03-371-030-30-XX	36W	3000K	Price on request

*Driver to be ordered separately; Replace 30 with 60 in the above catalogue nos. for 6000K CCT.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LU03-950-030-CC-XX	6W	RGB	Price on request
LU03-211-030-CC-XX	18W	RGB	Price on request
LU03-371-030-CC-XX	36W	RGB	Price on request

*Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
 • Colour changing luminaires have to be with DMX controller.



ARCUS Step Light | LT50

Compact, robust and non-corrosive aluminium body with high lumen output LEDs that enhances the safety and architectural design of step and entrance areas.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LT50-050-XXX-30-XX	2.5W	3000K	Price on request
LT50-050-XXX-60-XX	2.5W	6000K	Price on request



ARCUS Wall Light | LW31/32

Extruded aluminium wall light for exterior wall grazing.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LW31-211-022-30-XX	18W	3000K	Price on request
LW31-211-022-60-XX	18W	6000K	Price on request
LW32-321-022-30-XX	24W	3000K	Price on request
LW32-321-022-60-XX	24W	6000K	Price on request

* Driver to be ordered separately; Replace 30 with 60 in the above catalogue nos. for 6000K CCT.



ARCUS Wall Light | LW33

Die-cast aluminium wall light for exterior wall grazing.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LW33-101-025-30-XX	12W	3000K	Price on request



ARCUS Floodlight | LF27

Aluminium die-cast floodlight with high light output and performance for façade and monument lighting.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF27-601-040-30-XX	58W	3000K	Price on request
LF27-901-040-30-XX	85W	3000K	Price on request
LF27-122-040-30-XX	113W	3000K	Price on request

*Driver to be ordered separately; Replace 30 with 60 in the above catalogue nos. for 6000K CCT.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF27-601-040-CC-XX	58W	RGB	Price on request
LF27-901-040-CC-XX	85W	RGB	Price on request
LF27-122-040-CC-XX	113W	RGB	Price on request

*Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
 • Colour changing luminaires have to be with DMX controller.



ARCUS Floodlight Mega | LF28

IP66 flood light with die cast aluminium housing and glare free wide angle illumination for façade and monument lighting.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF28-142-040-30-XX	158W	3000K	Price on request
LF28-242-040-30-XX	286W	3000K	Price on request
LF28-482-040-30-XX	580W	3000K	Price on request

*Order driver separately. Available in 6500 K CCT options.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF28-142-040-CC-XX	158W	RGB	Price on request
LF28-242-040-CC-XX	286W	RGB	Price on request
LF28-482-040-CC-XX	580W	RGB	Price on request

*Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
 • Colour changing luminaires have to be with DMX controller.



DMX Controller and Accessories IP67 Plug-socket T connector (one pair)

Catalogue Reference No.	Description	LP ₹
C-T-2C-IP67	Plug-socket connector(one pair) T Connector for 2Cx1mm ²	Price on request
C-T-4C-IP67	IP67 Plug-socket connector(one pair) T Connector for 4Cx0.75mm ²	Price on request

- This T connector is to be used when multiple luminaires are to be controlled with a single driver.
- C-T-2C-IP67 - 2 core T connector for mono colour luminaire. C-T-4C-IP67 - 4 core T connector for RGB luminaire.



DMX Controller and Accessories IP67 Plug-socket S connector

Catalogue Reference No.	Description	LP ₹
C-S-2C-IP67	IP67 Plug-socket connector(one pair) S Connector for 2Cx1mm ²	Price on request
C-S-4C-IP67	IP67 Plug-socket connector(one pair) S Connector for 4Cx0.75mm ²	Price on request

- This T connector is to be used when multiple luminaires are to be controlled with a single driver.
- C-S-2C-IP67 - 2 core S connector for mono colour luminaire. C-S-4C-IP67 - 4 core S connector for RGB luminaire.



DMX Controller and Accessories Driver

Catalogue Reference No.	Output Wattage	Output Voltage	LP ₹
LPV-35-12/24	35W	24VDC	Price on request
LPV-60-12/24	60W	24VDC	Price on request
LPV-100-12/24	100W	24VDC	Price on request
LPV-150-12/24	150W	24VDC	Price on request



DMX Controller and Accessories Driver

Catalogue Reference No.	Output Wattage	Output Voltage	LP ₹
XLG-100I-24-A	100W	24VDC	Price on request
XLG-150I-24-A	150W	24VDC	Price on request
XLG-200I-24-A	200W	24VDC	Price on request
XLG-75I-H-A	75W	22VDC - 54VDC	Price on request
XLG-100I-H-A	100W	22VDC - 54VDC	Price on request
XLG-150I-H-A	150W	22VDC - 54VDC	Price on request
XLG-200I-H-A	200W	22VDC - 54VDC	Price on request
XLG-240I-H-A	240W	22VDC - 54VDC	Price on request



DMX Controller and Accessories IP67 Plug-socket S connector

Catalogue Reference No.	Description	LP ₹
LG70-360-3M-24V	3-Channel Main Controller 24/ 48VDC input/output, max. 360W(24/ 48V)	Price on request
LG70-360-3E-24V	3-Channel Expander 24/ 48VDC input/output, max. 360W(24/ 48V)	Price on request

- All colour-changing luminaires require a DMX controller. DMX controller to be ordered along with the luminaire.
- LG70-360-3E - This is an expander which is to be used to repeat the same sequence and programming done by the main DMX controller.



SolaRISETM++

All-in-One Integrated
Solar Streetlights



All-in-one Integrated Solar Streetlights | LR19

High efficiency, eco-friendly streetlight with compact aesthetic construction and easy installation capability.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR19-221-XXX-57-XX	12W	5700K	₹ 37,790
LR19-281-XXX-57-XX	15W	5700K	₹ 44,290
LR19-331-XXX-57-XX	18W	5700K	₹ 50,850
LR19-371-XXX-57-XX	20W	5700K	₹ 65,750
LR19-461-XXX-57-XX	25W	5700K	₹ 68,050
LR19-561-XXX-57-XX	30W	5700K	₹ 72,090
LR19-751-XXX-57-XX	40W	5700K	₹ 83,150
LR19-931-XXX-57-XX	50W	5700K	₹ 1,00,390
LR19-112-XXX-57-XX	60W	5700K	₹ 1,18,790
LR19-132-XXX-57-XX	70W	5700K	₹ 1,24,150
LR19-152-XXX-57-XX	80W	5700K	₹ 1,29,650
LR19-162-XXX-57-XX	90W	5700K	₹ 1,70,690
LR19-182-XXX-57-XX	100W	5700K	₹ 1,83,590
LR19-222-XXX-57-XX	120W	5700K	₹ 2,05,250

- For hybrid operation All-in-one Integrated solar streetlight replace XX with HY in above catalogue no.
- Additional LP of Rs.8000 for hybrid.
- Other CCT options available on request.
- Prices given are exclusive of poles and to be ordered separately. Subject to minimum order quantity.

Items to be phased-out (available till stocks last)

Series	Catalogue Reference No.	Wattage (W)
Axeon (Bidirectional: Updown)	LM34-361-XXX-57WG1 LM34-361XXX-57WCG1 LM34-721-XXX-57WG1 LM34-721XXX-57WCG1	30W 30W 60W 60W
Axeon (Unidirectional: Down)	LM34-251-XXX-57WG1 LM34-251XXX-57WCG1 LM34-401-XXX-57WG1 LM34-401XXX-57WCG1 LM34-501-XXX-57WG1 LM34-501XXX-57WCG1 LM34-801-XXX-57WG1 LM34-801XXX-57WCG1	20W 20W 30W 30W 40W 40W 60W 60W
Axeon Angular	LM34-141300Y57WCG1 LM34-930300V57WCG1 LM34-930300L57WCG1 LM34-930300T57WCG1	15W 10W 10W 15W
Inspiro	LM41-481-XXX-40-XX	40W
Fokus	LD31-111-035-40-SR* LD31-111-035-40-WH* LD31-151-035-40-SR* LD31-151-035-40-WH* LD31-171-035-40-SR** LD31-171-035-40-WH** LD31-221-035-40-SR** LD31-221-035-40-WH**	9W 9W 12W 12W 15W 15W 18W 18W
Helix	LD91-141-XXX-65-XX* LD91-201-XXX-65-XX*	11W 15W
Microwave Movement Sensor	COM 20010 CDA20010	
Microwave Movement Sensor	COM 20010 CDA20010	
Urbano Pathway	LP05-711-XXX-65-XX	60W


Terms and conditions

- Prices are in Indian rupees.
- MRP are inclusive of GST.
However authorized Wipro sales person/stockists can sell below the MRP.
- In case of LP, GST amount is not included. GST is to be added extra.
However authorized Wipro sales person/stockists can sell below the LP.
- All prices are subject to Wipro's general terms & conditions of business.
- Prices are subject to change without notice as per company discretion.
- This price list supersedes all earlier price lists.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.
- Goods are dispatched by us on purchaser's risk. All claims for loss, damage or shortage will be filed by the purchasers directly with the carriers.
- Orders should be placed in multiples of case lot.
- All orders shall be placed in writing.
- Items other than those included in the price list, stands phased out from the range.
- All fixtures will be supplied as per our normal specifications, for additional features please contact nearest Wipro office for details.
- Disputes, if any are subject to Pune jurisdiction only.
- Related wattage and CCT are nominal and BIS tolerance is applicable on same.

Innovation and improvement are a way of life at Wipro. All rights reserved. Reproduction of this data in part or in whole without permission is prohibited. Care has been taken to ensure that the information content within is correct. We reserve the right to modify the product without prior intimation. Photographs shown herein are indicative. Customers are advised to reconfirm the data or product dimensions before purchase with our local office.

Branch Offices

E40/7 Okhla Industrial Area, Phase-II New Delhi - 011020 Tel: 011 - 41708122/29	Lotus Corporate park, Unit No 1401 – 1402, 14th floor, C wing, Graham Firth Steel Compound, Western Express Highway Goregaon (E), Mumbai 400 063 Tel: 022 - 62182000
No.139, 7th Cross, N S Palya, off. Bannerghatta Road, Bangalore - 560 076 Tel.: 080-41503260	4th Floor, Svalar Square, 15, North Phase, Guindy Industrial Estate, Ekkaduthangal, Chennai , Tamil Nadu – 600032 Tel: +91 - 9940499275
3, Pretoria Street, 3rd floor, Kolkata - 700 071 Tel: 033-4404 5886/87	Bhosale Heights, 1195/5, Fergusson College Road, Pune - 411 005 Tel: 020 - 2553 5081
Plot No.,13 A/1, Road No. 9, IDA East Division Nacharam, R.R.Dist., Hyderabad - 500 076 Tel: 040-2717 6082	
Precto Pipes compound,Village Jhungian, P.O. Dayalpura Sodhian, Distt. S.A. S. Nagar, Punjab – 140 603 Phone no : 09569933873/872/871, 09216108102	311, Pujer Complex, Subhanpura, Baroda - 390 023 Tel: 0265-2395 830/35/36/41/45
E/149, Transport Nagar, Lucknow Kanpur Road, Lucknow - 226 012 Tel: 0522-2434 352	United Compound, A.B. Road, Dewas Naka, Indore (MP) - 452 010 Tel: 98279 99668
409 - 410, SCarlet Gateway, Opp. Rivera Anatalia, Corporate Road, Nr. Prahladnagar Garden, Satellite, Ahmedabad - 380015 Tel: 079-40073546	Hindustan Associates, Plot no. 135, Mancheshwar Industrial Estate, Rasulgarh, Bhubaneswar - 751 010 Tel: 0674 - 6450 804
Khasra No.48.49/2, khedia Business Park, Tatibanth Raipur (CG) - 492 099 Tel: 0771-3265 725	Flat No. 8, Plot No. 191, 1st Floor, Rachna Apartment, Cement Road, Shivaji Nagar, Nagpur - 440 010 Tel: 0712 - 2569 878
1-99, Sirigudi Nagar, Yendada Vishakhapatnam - 530 045 Tel: 96769 08080/99449 825284	VI/409-D, Valomkottil Building Opp. BMC, Sea Port - Air Port Road, P.O. Thrikkakkara, Cochin - 682021 Tel: Ph: +91-9895708464
9/10 Sri Vankatram Complex, VLB Nagar, OPP VLB Arts & Science College, Kovaipudur Road, Kuniyamuthur, Coimbatore - 641 042 Tel: +91 - 80782 02741	
B - 16/17, Palsania Complex, Near T B Hospital, Subhash Nagar Shopping Centre, Jaipur - 320 016 Tel: 0141-2280 014/4910 879	



IoL[®]
 Internet of Lighting
 A Wipro Brand



Business Office

Wipro Lighting, 5th floor, Godrej Eternia - C,
 Old Pune-Mumbai highway, Shivajinagar,
 Pune 411 005, India.
 (T) 020-66098700, (F) 020-66098777
 helpdesk.lighting@wipro.com

Registered Office

Wipro Enterprises (P) Limited
 'C' Block, CCLG Division, Doddakannelli,
 Sarjapur Road, Bangalore - 560035, India.

www.wiprolighting.com

Toll-free no: 1800-425-1969

Follow us on 

New Delhi: 011-41708121/29, **Mumbai:** 022-62182000, **Chennai:** +91 - 9940499275, **Bangalore:** 080-41503260
Kolkata: 033-44045886/87, **Pune:** 020-25535081, **Hyderabad:** 040-27176082, **Chandigarh:** 0172-50018734,
Jaipur: 0141-2280 014, **Lucknow:** 0522-2434352, **Baroda:** 0265-2395830/35/36/41/45,
Ahmedabad: 079-40073546, **Indore (MP):** 9827999668, **Raipur (CG):** 0771-3265725, **Bhubaneswar:** 0674 - 6450 804,
Coimbatore: +91 - 80782 02741, **Nagpur:** 0712-2569878, **Vishakhapatnam:** 9676908080, **Cochin:** +91-9895708464

Innovation and Improvement are a way of life at Wipro. Care has been taken to ensure that the information content within is correct. We reserve the right to modify the product without prior intimation. Reproduction of this data in part or in whole without permission is prohibited. All rights reserved.