



# WIPRO CLEANRAY LED LIGHTING

Price List 2021

W.e.f : 1 June 2021



WIPRO LIGHTING



Lighting in the zero containment zone plays a very important role to get that perfect vision required for better output.

Being the pioneer of Lighting for Cleanroom facilities in India and with over 25 years of experience in lighting, we have a thorough understanding of Pharmaceutical and Cleanroom Lighting requirements.

Developed keeping in mind zero tolerance of error in of cleanroom application, our range of Cleanroom Luminaires - Vision BOCR & TOCR – have been developed in multiple variants with respect to mounting, construction parameters and usage of materials.

We have successfully illuminated majority of the cleanroom facilities in pharmaceutical, food & beverages, electronics and semi-conductor industries across the country.

**NEW**

## Linea

Pure-sublime contemporary linear with high efficacy and soothing experience.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LM22-251-XXX-57-WX	20W	5700K	₹ 5,735
LM22-501-XXX-40-WX	20W	4000K	₹ 5,735
LM22-501-XXX-57-WX	40W	5700K	₹ 11,910
LM22-501-XXX-40-WX	40W	4000K	₹ 11,910

- Available in Black housing, to order replace WX with BX in above catalogue no.
- Also available in 4000k CCT, to order replace 57 with 40 in above catalogue no.

**NEW**

## Kombat | CRC024

Slimmest backlit and sleek profile luminaire available with a thin bottom frame design which ensures a clutter-free lighting experience.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
CRC024R036HP65G1	36W	6500K	₹ 5,390

- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP Rs. 590.





## Glitz LED | LD98

New age COB downlighter which creates contemporary spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LD98-900-024-40-XX*	6W	4000K	₹ 1,290
LD98-131-024-40-XX*	9W	4000K	₹ 1,790
LD98-181-024-40-XX**	12W	4000K	₹ 1,990
LD98-221-024-40-XX**	15W	4000K	₹ 2,490
LD98-271-024-40-XX***	18W	4000K	₹ 3,090

- \* Available in warm 3000K CCT options. Also available in 38° beam angle.
- \* Cutout dimensions: \*Ø90 mm | \*\*Ø109 mm | \*\*\*Ø140 mm.




## Iris Slim Round | LD80

Ultra sleek recess mounted slim round downlighter.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LD80-200-XXX-60-XX*	3W	6000K	₹ 550
LD80-350-XXX-60-XX**	6W	6000K	₹ 990
LD80-530-XXX-60-XX***	9W	6000K	₹ 1,050
LD80-101-XXX-60-XX****	12W	6000K	₹ 1,390
LD80-131-XXX-60-XX*****	15W	6000K	₹ 1,550
LD80-171-XXX-60-XX*****	18W	6000K	₹ 2,250

- \* Also available in 4000K CCT.
- \* Cutout dimensions: \*Ø75 mm | \*\*Ø108 mm | \*\*\*Ø135 mm | \*\*\*\*Ø157 mm | \*\*\*\*\*Ø178 mm | \*\*\*\*\*Ø205 mm.





## Iris Slim Square | LD81

Ultra sleek recess mounted slim square downlighter.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LD81-200-XXX-60-XX*	3W	6000K	₹ 550
LD81-350-XXX-60-XX**	6W	6000K	₹ 950
LD81-530-XXX-60-XX***	9W	6000K	₹ 1,050
LD81-101-XXX-60-XX****	12W	6000K	₹ 1,390
LD81-131-XXX-60-XX*****	15W	6000K	₹ 1,550
LD81-171-XXX-60-XX*****	18W	6000K	₹ 2,250
LD81-281-XXX-60-XX*****	24W	6000K	₹ 3,550

• Also available in 4000K CCT.

• Cutout dimensions: \*75 mm x 75 mm | \*\*108 mm x 108 mm | \*\*\*135 mm x 135 mm

\*\*\*\*157 mm x 157 mm | \*\*\*\*\*178 mm x 178 mm | \*\*\*\*\*205 mm x 205 mm | \*\*\*\*\*279 mm x 279 mm.



## IrisNeo Nextgen | LD95

Recessed slim LED round downlighter. Aesthetic white rim moulded in engineered plastic.

NEW

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LD95-670-XXX-65-G1*	6W	6000K	₹ 850
LD95-101-XXX-65-G1*	9W	6000K	₹ 1,050
LD95-141-XXX-65-G1**	12W	6000K	₹ 1,250
LD95-171-XXX-65-G1**	15W	6000K	₹ 1,350
LD95-221-XXX-65-G1***	18W	6000K	₹ 1,590

• Also available in 4000K CCT.

• Cutout dimensions: \*Ø116 mm | \*\*Ø166 mm | \*\*\*Ø220 mm.





## IrisNeo Nextgen | LD96

Recessed slim LED square downlighter. Aesthetic white rim molded in engineered plastic. Best in class lumen output in edge-lit technology, illuminating the interiors with more vibrancy and higher savings.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LD96-670-XXX-65-G1*	6W	6500K	₹ 850
LD96-101-XXX-65-G1*	9W	6500K	₹ 1,050
LD96-141-XXX-65-G1**	12W	6500K	₹ 1,250
LD96-171-XXX-65-G1**	15W	6500K	₹ 1,350
LD96-221-XXX-65-G1***	18W	6500K	₹ 1,590

• Also available in 4000K CCT.

• Cutout dimensions: \*100 mm x 100 mm | \*\*150 mm x 150 mm | \*\*\*205 mm x 205 mm.



## Iris Slim Neo | LD96

Recessed slim LED square downlighter. Aesthetic white rim molded in engineered plastic. Best in class lumen output in edge-lit technology, illuminating the interiors with more vibrancy and higher savings.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LD96-670-XXX-60-XX*	6W	6000K	₹ 850
LD96-101-XXX-60-XX*	9W	6000K	₹ 1,050
LD96-141-XXX-60-XX**	12W	6000K	₹ 1,250
LD96-171-XXX-60-XX**	15W	6000K	₹ 1,350
LD96-221-XXX-60-XX***	18W	6000K	₹ 1,590

• Also available in 4000K CCT.

• Cutout dimensions: \*96 mm x 96 mm | \*\*140 mm x 140 mm | \*\*\*190 mm x 190 mm.



## Iris Slim Surface Mounted | LD80

Ultra sleek surface mounted slim round downlighter.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LD80-350-XXX-60-SM	6W	6000K	₹ 1,150
LD80-101-XXX-60-SM	12W	6000K	₹ 1,650
LD80-131-XXX-60-SM	15W	6000K	₹ 1,950
LD80-171-XXX-60-SM	18W	6000K	₹ 2,590

• Also available in 4000K CCT.




## Iris Slim Surface Mounted | LD81

Ultra sleek surface mounted slim square downlighter.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LD81-350-XXX-60-SM	6W	6000K	₹ 1,150
LD81-101-XXX-60-SM	12W	6000K	₹ 1,650
LD81-131-XXX-60-SM	15W	6000K	₹ 1,950
LD81-171-XXX-60-SM	18W	6000K	₹ 2,590

• Also available in 4000K CCT.



## Trim Neo | LL20

Sleek and seamless profiled extruded aluminium/polycarbonate batten with an efficient diffuser to illuminate work and retail spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LL20-620-XXX-65NE3*	5W	6500K	₹ 350
LL20-620-XXX-40NE3*	5W	6500K	₹ 350
LL20-111-XXX-65NE3**	10W	6500K	₹ 550
LL20-221-XXX-65NE3***	20W	6500K	₹ 850
LL20-281-XXX-65AL1***	20W	6500K	₹ 1,190
LL22-511-XXX-65-G1***	36W	6500K	₹ 1,850

• Catalogue no. ending with AL1 has aluminium housing

• Length: \*:1 Ft, \*\*: 2Ft, \*\*\*:4 Ft



## Pro LED Lamp | LL13

Linear lamp with PC/ Aluminium housing for optimum light output. Specially designed diffuser to avoid direct view of LEDs.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LL13-181-650	18W	6500K	₹ 1,090
LL13-181-65SE	20W	6500K	₹ 1,250
LL13-181-65SESL	20W	6500K	₹ 1,250
LL13-181-65SESL1	20W	6500K	₹ 1,250

• Catalogue no. ending with SE has aluminium housing.



## Pro LED Lamp T5 | LL13

Linear lamp with PC housing for optimum light output. Specially designed diffuser to avoid direct view of LEDs.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LL13-181-65-T5	18W	6500K	₹ 1,290



## LED Channel | WIO92

Channel suitable to be used with T8 LED lamp.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
WIO921208P	1X18W LED T8	-	₹ 550
WIO922208P	2X20W LED T8	-	₹ 750

• LED lamp to be ordered separately.



## Formz LED | LS06

Non-integral flexible LED strip light with high brightness for indoor and outdoor applications. Strip can be cut at marked interval to suit desired length.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LS06-005-120-30-50	5W	3000K	₹ 1,850
LS06-005-120-65-50	5W	6500K	₹ 1,850
LS06-005-120-40-50	5W	4000K	₹ 1,850
LS06-015-120-30-50	15W	3000K	₹ 2,690
LS06-015-120-65-50	15W	6500K	₹ 2,690
LS06-015-120-40-50	15W	4000K	₹ 2,690
LG40-024 (Driver)	25W	-	₹ 850
LG40-078 (Driver)	75W	-	₹ 1,650

• Also available in 3000K CCT.

• \*LG40-024 - 1 unit is suitable for 1 no. (5m spool) of LS06-005 | \*\*LG40-78 - 1 unit is suitable for 1 no. (5m spool) of LS06-15 | \*Order driver separately. Driver is for indoor use only.



NEW



## Brillante

LED bulb ideal for commercial and industrial applications

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LL26-371-65-B22	30W	6500	₹ 750
LL26-501-65-B22	40W	6500	₹ 1,050
LL26-621-65-B22	50W	6500	₹ 1,350



## Skyline | LR02

Compact and aesthetic aluminium pressure die cast IP66 streetlight.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LR02-261-XXX-57-XX	20W	5700K	₹ 3,450

NEW



## Alpha Neo Streetlight | LR26

Slim minimalist aluminium pressure die cast street light IP66 street light with lens cover.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LR26-251-XXX-65-XX	20W	6500K	₹ 2,700
LR26-371-XXX-65-XX	30W	6500K	₹ 3,750



## Alpha Floodlight | LF19

Aluminum die-cast housing IP66 luminaire with a unique reflector system.

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LF19-471-060-57-XX	40W	5700K	₹ 6,490

**NEW**

## Alpha Neo Floodlight | LF37

Compact aluminium die cast housing IP66 flood light

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LF37-251-XXX-65-XX	20W	6500K	₹ 2,200
LF37-371-XXX-65-XX	30W	6500K	₹ 2,500
LF37-501-XXX-65-XX	40W	6500K	₹ 3,250



## Moon (Round) | LW01

Wall/ceiling light with ABS plastic housing with CRCA reflector and HET diffuser for outdoor applications. IP54

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LW01-101-XXX-60-XX	9W	5700K	₹ 3,290



## Moon (Square) | LW02

Wall/ceiling light with ABS plastic housing with CRCA reflector and HET diffuser for outdoor applications. IP54

Catalogue Reference No.	Wattage (W)	CCT (K)	MRP ₹
LW02-101-XXX-60-XX	9W	5700K	₹ 3,290



## Items to be phased-out (available till stocks last)

Series	Catalogue Reference No.	Wattage (W)
Iris Slim Neo (Round)	LD95-670-XXX-60-XX*	6W
	LD95-101-XXX-60-XX*	9W
	LD95-141-XXX-60-XX**	12W
	LD95-171-XXX-60-XX**	15W
	LD95-221-XXX-60-XX***	18W
Iris Slim Neo (Square)	LD96-670-XXX-60-XX*	6W
	LD96-101-XXX-60-XX*	9W
	LD96-141-XXX-60-XX**	12W
	LD96-171-XXX-60-XX**	15W
	LD96-221-XXX-60-XX***	18W
Elate	CRCO10R038HP57GL	36W
	CRCO10S038HP57GL	36W

## Terms and conditions

- Prices are in Indian rupees.
- MRP are inclusive of GST.  
However authorized Wipro sales person/stockists can sell below the MRP.
- In case of LP, GST amount is not included. GST is to be added extra.  
However authorized Wipro sales person/stockists can sell below the LP.
- All prices are subject to Wipro's general terms & conditions of business.
- Prices are subject to change without notice as per company discretion.
- This price list supersedes all earlier price lists.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.
- Goods are dispatched by us on purchaser's risk. All claims for loss, damage or shortage will be filed by the purchasers directly with the carriers.
- Orders should be placed in multiples of case lot.
- All orders shall be placed in writing.
- Items other than those included in the price list, stands phased out from the range.
- All fixtures will be supplied as per our normal specifications, for additional features please contact nearest Wipro office for details.
- Disputes, if any are subject to Pune jurisdiction only.
- Related wattage and CCT are nominal and BIS tolerance is applicable on same.

Innovation and improvement are a way of life at Wipro. All rights reserved. Reproduction of this data in part or in whole without permission is prohibited. Care has been taken to ensure that the information content within is correct. We reserve the right to modify the product without prior intimation. Photographs shown herein are indicative. Customers are advised to reconfirm the data or product dimensions before purchase with our local office.


# Branch Offices

E40/7 Okhla Industrial Area, Phase-II <b>New Delhi</b> - 011020 Tel: 011 - 41708122/29	Lotus Corporate park, Unit No 1401 – 1402, 14th floor, C wing, Graham Firth Steel Compound, Western Express Highway Goregaon (E), <b>Mumbai</b> 400 063 Tel: 022 - 62182000
No.139, 7th Cross, N S Palya, off. Bannerghatta Road, <b>Bangalore</b> - 560 076 Tel.: 080-41503260	4th Floor, Svalar Square, 15, North Phase, Guindy Industrial Estate, Ekkaduthangal, <b>Chennai</b> , Tamil Nadu – 600032 Tel: +91 - 9940499275
3, Pretoria Street, 3rd floor, <b>Kolkata</b> - 700 071 Tel: 033-4404 5886/87	Bhosale Heights, 1195/5, Fergusson College Road, <b>Pune</b> - 411 005 Tel: 020 - 2553 5081
Plot No.,13 A/1, Road No. 9, IDA East Division Nacharam, R.R.Dist., <b>Hyderabad</b> - 500 076 Tel: 040-2717 6082	
Precto Pipes compound,Village Jhungian, P.O. Dayalpura Sodhian, Distt. S.A. S. Nagar, <b>Punjab</b> – 140 603 Phone no : 09569933873/872/871, 09216108102	311, Pujer Complex, Subhanpura, <b>Baroda</b> - 390 023 Tel: 0265-2395 830/35/36/41/45
E/149, Transport Nagar, Lucknow Kanpur Road, <b>Lucknow</b> - 226 012 Tel: 0522-2434 352	United Compound, A.B. Road, Dewas Naka, <b>Indore (MP)</b> - 452 010 Tel: 98279 99668
409 - 410, SCarlet Gateway, Opp. Rivera Anatalia, Corporate Road, Nr. Prahladnagar Garden, Satellite, <b>Ahmedabad</b> - 380015 Tel: 079-40073546	Hindustan Associates, Plot no. 135, Mancheshwar Industrial Estate, Rasulgarh, <b>Bhubaneswar</b> - 751 010 Tel: 0674 - 6450 804
Khasra No.48.49/2, khedia Business Park, Tatibanth <b>Raipur (CG)</b> - 492 099 Tel: 0771-3265 725	Flat No. 8, Plot No. 191, 1st Floor, Rachna Apartment, Cement Road, Shivaji Nagar, <b>Nagpur</b> - 440 010 Tel: 0712 - 2569 878
1-99, Sirigudi Nagar, Yendada <b>Vishakhapatnam</b> - 530 045 Tel: 96769 08080/99449 825284	VI/409-D, Valomkottil Building Opp. BMC, Sea Port - Air Port Road, P.O. <b>Thrikkakkara, Cochin</b> - 682021 Tel: Ph: +91-9895708464
9/10 Sri Vankatram Complex, VLB Nagar, OPP VLB Arts & Science College, Kovaipudur Road, Kuniyamuthur, <b>Coimbatore</b> - 641 042 Tel: +91 - 80782 02741	
B - 16/17, Palsania Complex, Near T B Hospital, Subhash Nagar Shopping Centre, <b>Jaipur</b> - 320 016 Tel: 0141-2280 014/4910 879	









**IoL**<sup>®</sup>  
Internet of Lighting  
A Wipro Brand



**Business Office**

Wipro Lighting, 5<sup>th</sup> floor, Godrej Eternia - C,  
Old Pune-Mumbai highway, Shivajinagar,  
Pune 411 005, India.  
(T) 020-66098700, (F) 020-66098777  
helpdesk.lighting@wipro.com

**Registered Office**

Wipro Enterprises (P) Limited  
'C' Block, CCLG Division, Doddakannelli,  
Sarjapur Road, Bangalore - 560035, India.

**www.wiprolighting.com**

Toll-free no: 1800-425-1969

Follow us on 

**New Delhi:** 011-41708121/29, **Mumbai:** 022-62182000, **Chennai:** +91 - 9940499275, **Bangalore:** 080-41503260  
**Kolkata:** 033-44045886/87, **Pune:** 020-25535081, **Hyderabad:** 040-27176082, **Chandigarh:** 0172-50018734,  
**Jaipur:** 0141-2280 014, **Lucknow:** 0522-2434352, **Baroda:** 0265-2395830/35/36/41/45,  
**Ahmedabad:** 079-40073546, **Indore (MP):** 9827999668, **Raipur (CG):** 0771-3265725, **Bhubaneswar:** 0674 - 6450 804,  
**Coimbatore:** +91 - 80782 02741, **Nagpur:** 0712-2569878, **Vishakhapatnam:** 9676908080, **Cochin:** +91-9895708464

Innovation and Improvement are a way of life at Wipro. Care has been taken to ensure that the information content within is correct. We reserve the right to modify the product without prior intimation. Reproduction of this data in part or in whole without permission is prohibited. All rights reserved.